

S.NO	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**1. GEAR COUPLING FLANGES (MGC)**

1	L/L 370/ TUSKER	6	SQR.	SQR.	4	12.1	21 NO.	SQUARE		MGC601	1020
2	L/L 370/ TUSKER	6	6	150	4	12.1	21 NO.	ROUND	F 1431022	MGC601A	1155
3	L/L TAURUS - T11	6	7	175	8	9.5	3/8	ROUND		MGC801	1815
4	JEEP DIESEL	10	3.75	94	4	8.2	13 NO.	ROUND		MGC902	485
5	RIG SPL. 7", 8H	10	7	176	8	9.5	3/8	ROUND		MGC813R	1705
6	TATA 1210/ SE	14	4.5	120	6	10.2	17 NO.	ROUND	312 261 1517	MGC101	550
7	TATA 407 O/M	16	4	100	6	8.2	13 NO.	ROUND	2515 2620 0111	MGCPC401	460
8	TATA 407 N/M	16	4	120	6	10.2	17 NO.	ROUND		MGCPC402	550
9	TATA GB - 40	16	4.5	120	6	10.2	17 NO.	ROUND	322 262 0045	MGC117	620
10	TATA 1312	16	5	130	8	10.2	17 NO.	ROUND	2507 2620 5001	MGC201	715
11	GB-40 SERRATED, 4H, 5"	16	5	125	4	10.2	17	SERRATED		MGC201S	1350
12	RIG SPL. 7", 8H	16	7	176	8	9.5	3/8	ROUND		MGC802AR	1705
13	RIG SPL. 7", 8H	16	7	178	8	10.2	17 NO.	ROUND		MGC820R	2420
14	RIG SPL. 6", 4H	16	6	150	4	3/8	22 NO.	SERRATED		MGC820SR	2200
15	RIG SPL. 7", 4H	16	7	178	4	3/8	22 NO.	SERRATED		MGC820SSR	2725
16	TATA GB - 60	18	5	130	8	10.2	17 NO.	ROUND		MGC1201	1075
17	TATA 2518	18	6	150	8	12.1	19 NO.	ROUND		MGC1330	1210
18	TATA 2518 (TL=63mm)	18	6	150	4	12.1	19 NO.	SERRATED		MGC1601S	1595
19	TATA 1616, 1613 TURBO, 2516, 2518, 3516 (TL=72mm)	18	6	150	4	12.1	19 NO.	SERRATED	TL=72mm, O/S 63mm	MGC1601SS	1750
20	TATA 4018	18	6.5	165	8	16.2	24 NO.	ROUND		MGC1601	1595
21	TATA 4018 (3 STEP - N/M)	18	6.5	165	8	16.2	24 NO.	ROUND		MGC1601A	1650
22	EICHER CANTER/ SWARAJ MAZDA	18	SQR.	SQR.	4			SQUARE		MGC1401	1070
23	EICHER 11.10	20	SQR.	SQR.	4	12.1	21 NO.	SQUARE	TL=104MM, O/S46m	MGC1401A	1100
24	AMW/MANN	21	7	178	4	3/8	22 NO.	SERRATED		MGC1909	2695
25	TATA SUMO (SPICER - PATTI TY.)	26	PATTI	PATTI				PATTI TYPE		MGC501	790
26	TATA GB-75/ 2518/ 4018 (TL=108mm)	26	6	150	4	12.1	19 NO.	SERRATED		MGC203AAS	2090
27	TATA PRIMA 4023 (GB-1150)	26	6	150	4	12.1	19 NO.	SERRATED	TL=90mm, O/S80mm	MGC1602S	2420
28	AMW/MANN	26	7	178	4	3/8	22 NO.	SERRATED	TL=106mm	MGC2501A	2420
29	TATA LPK 2523, 3723 (GB-1150)	26	7	180	4	14	22 NO.	SERRATED	TL=90mm, O/S80mm	MGC1602AS	2420
30	LEY. 1616, ECOMET (SERRATED)	28	4.72	120	4	10.2	17 NO.	SERRATED	TL=91mm, O/S54mm	MGC1301AB	1650
31	L/L 2214, TCAC SUPER TUSKER	28	6	150	4	12.1	19 NO.	SERRATED		MGC1301B	1925
32	TATA, LEY., BHARAT BENZ (EATON) - LONG	28	6	150	4	12.1	19 NO.	SERRATED	TL=95mm, O/S78mm	MGC1901S	2520
33	TATA, LEY., BHARAT BENZ (EATON) - SHORT	28	6	150	4	12.1	19 NO.	SERRATED	TL=75mm, O/S78mm	MGC1901AS	2320

S.NO	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							
34	L/L 2214, TCAC SUPER TUSKER	28	7	175	8	9.5	3./8	ROUND	F 14351711	MGC1301	1405
35	L/L 2214 (ZF - LONG)	28	7	175	8	9.5	15 NO.	ROUND		MGC1301A	1870
36	INTER-AXLE L/L 2214 (ZF - LONG) - 28S	28	SQR.	SQR.	4	12.8	21 NO.	SQUARE		MGPC1301AA	1405
37	TATA, LEY., BHARAT BENZ (EATON)	30	7	180	4	14	22 NO.	SERRATED	TL=78mm, O/S71	MGC1902S	2620
38	AMW/MANN	31	7	180	4	14	22 NO.	SERRATED	TL=83mm, O/S85mm	MGC1908	2620
39	LEY. U-TRUCK 2523, 3718 (9 SPEED GB)	31	7	180	4	14	22 NO.	SERRATED	TL=122mm, O/S80mm	MGC1301ABC	3620
40	EICHER 40.40, AMW	31	8	205	12	12.1	19 NO.	ROUND	TL=81MM, O/S72MM	MGC1707	3720
41	EICHER 40.40, AMW	32	8	205	12	12.1	19 NO.	ROUND	TL=82MM, O/S68MM	MGC1702	3720
42	EICHER TERRA 16	34	SQR.	SQR.	4	12.1	21 NO.	SQUARE	TL=72MM, O/S58MM	MGC1701	1455
43	EICHER TERRA 16	34	SQR.	SQR.	4	12.1	21 NO.	SQUARE	TL=73MM, O/S58MM	MGC1701A	1500
44	EICHER 30.25, GALAXY 35.31	34	7	176	8	9.5	3./8	ROUND	TL=84MM, O/S58MM	MGC1302AA	1815
45	EICHER HCV, TERRA 116	34	6	150	4	12.1	19 NO.	SERRATED	TL=74MM, O/S58MM	MGC1302BS	1870

## 2. CENTER BRG. COUPLING FLANGES (MCC)

1	EICHER CANTER (SQUARE)	10	SQR.	SQR.	4	8.2	13 NO.	SQUARE	TL=60mm, O/S50mm	MCC1402	880
2	L/L 370/ TUSKER	10	SQR.	SQR.	4	12.1	21 NO.	SQUARE	F 1430211	MCC602	925
3	L/L 1613 TIPPER/ ECOMET	10	6	150	4	12.1	21 NO.	ROUND	4/1/5401	MCC1703	1155
4	L/L 1613 TIPPER/ ECOMET	10	4.72	120	4	10.2	17 NO.	SERRATED	TL=60mm, O/S50mm	MCC1703S	1350
5	HINO BUS/ RIG TY. - 10S	10	7	175	8	9.5	3./8	ROUND		MCC813	1680
6	TATA 1210	14	4.5	120	6	10.2	17 NO.	ROUND	312 410 1430	MCC102	550
7	TATA 1312	14	5	130	8	10.2	17 NO.	ROUND	2575 4110 0104	MCC202	680
8	TATA 407 N/M	16	4	100	6	8.2	13 NO.	ROUND		MGPC402	550
9	TATA 407 O/M	16	4	100	6	8.2	13 NO.	ROUND	2515 2620 0111	MGPC401	460
10	L/L TAURUS - T11	16	7	175	8	9.5	3./8	ROUND	F 1433311	MCC802	1705
11	AMW/ MAH. NAVIATAR	16	7	178	8	9.5	3./8	ROUND	TL=88MM, O/S74MM	MCC820	2420
12	AMW/ MAH. NAVIATAR	16	6	150	4	12.1	19 NO.	SERRATED	TL=88MM, O/S74MM	MCC820S	2200
13	AMW/ MAH. NAVIATAR	16	7	178	4	14	22 NO.	SERRATED	TL=94MM, O/S74MM	MCC820SS	2725
14	TATA SUMO (SPICER - PATTI TY.)	16	PATTI	PATTI				PATTI TYPE		MCC502	705
15	EICHER 11.10 XP	16	SQR.	SQR.	4	12.1	21 NO.	SQUARE	TL=96MM, O/S62MM	MCC1402D	1600

16	TATA 3118 LPT, 2518, 3718, LEY. 3119 (SMALL O/S)	20	6	150	4	12.1	19 NO.	SERRATED	TL=75MM, O/S63MM	MCC2607	1925
17	TATA 3118 LPT, 2518, 3718, LEY. 3119 (BIG O/S)	20	6	150	4	12.1	19 NO.	SERRATED	TL=75MM, O/S72MM	MCC2607B	1975
S.NO	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**CENTER COUPLING FLANGES (MCC)**

18	LEY. 3518, TATA LPS 4921, BHARAT BENZ 3123	20	7	180	4	14	22 NO.	SERRATED	TL=78MM, O/S63MM	MCC2607A	2275
19	TATA 1312	26	5	130	8	10.2	17 NO.	ROUND	2576 3520 0110	MCPC204	690
20	TATA 2416 (TL=72mm)	26	5	130	8	10.2	17 NO.	ROUND	2632 4111 0111	MCC203	950
21	TATA 2416 N/M (TL=92mm)	26	5	130	8	10.2	17 NO.	ROUND	INSKU 100847	MCC203A	1075
22	TATA 2516, 2518 LPK (TL=80mm)	26	6	150	8	12.1	19 NO.	ROUND		MCC203AA	1420
23	TATA 2516 LPT, 2518 LPT	26	6	150	8	12.1	19 NO.	ROUND	TL=93MM, O/S71MM	MCC203AB	1550
24	TATA 2518 (TL=82mm)	26	6	150	4	12.1	19 NO.	SERRATED		MCC203S	1705
25	TATA 3118, 3116 (TL=94mm, SMALL O/S)	26	6	150	4	12.1	19 NO.	SERRATED	TL=94MM, O/S68MM	MCC203AS	1925
26	TATA 3118, 3116 (TL=94mm, BIG O/S)	26	6	150	4	12.1	19 NO.	SERRATED	TL=94MM, O/S72MM	MCC203BS	1975
27	TATA 3718	26	6	150	4	12.1	19 NO.	SERRATED		MCC2703	1975
28	TATA 3118 LPK, 3718	26	7	180	4	14	22 NO.	SERRATED	TL=98MM, O/S70MM	MCC203ACS	2420
29	TATA 3118 LPK, 3718, 3723, 2523 LPK	30	7	180	4	14	22 NO.	SERRATED		MCC3302	2520
30	SWARAJ MAZDA (SQUARE)	34	SQR.	SQR.	4	12.1	21 NO.	SQUARE		MCC1402C	1450
31	TATA 2515/3516	34	5	130	8	10.2	17 NO.	ROUND		MCPC1202	970
32	TATA 1616/1613	34	5	130	8	10.2	17 NO.	ROUND		MCC1202A	1100
33	TATA 2516/3516 (SPICER - PATTI)	34	PATTI	PATTI				PATTI TYPE		MCC1202S	1650
34	TATA 2518	34	6	150	8	12.1	19 NO.	ROUND	INSKU 100851	MCC1331	1210
35	L/L 3116 (10 TYRE)	34	6	150	4	12.1	19 NO.	SERRATED	90-1-15	MCC1302S	1635
36	TATA 2518 N/M, 1613 EUROIII	34	6	150	4	12.1	19 NO.	SERRATED		MCC1302ASS	2200
37	L/L 1613 TIPPER - N/M	34	6	150	4	12.1	21 NO.	ROUND		MCC1703A	1155
38	L/L 2214, 2516/ 3516/ TCAC SUPER TUSKER	34	7	175	8	9.5	3./8	ROUND	5/1/6501	MCC1302	1375

**3. PINION/ DIFF. COUPLING FLANGES (MPC)**

1	JEEP DIESEL (PATTI TY)	10	PATTI	PATTI				PATTI TYPE		MPC903	635
2	JEEP DIESEL (ROUND PLATE)	10	3.8	94	4	8.2	14 NO.	ROUND	TL=54MM, O/S40MM	MPC902	485
3	L/L 370/ TUSKER	10	6	150	4	12.1	21 NO.	ROUND	F 1432611/ TL=84MM, O/S70MM	MPC603	1170
S.NO	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**PINION COUPLING FLANGES (MPC)**

4	LEY. TAURUS T-11, EICHER HCV	10	7	176	8	9.5	3/8	ROUND	TL=94MM, O/S70MM	MPC813A	1900
5	EICHER CANTER (SQUARE)	14	SQR.	SQR.	4	12.1	21 NO.	SQUARE	TL=62MM, O/S52MM	MPC1403	880
6	EICHER CANTER (ROUND)	14	4.9	125	4	12.1	21 NO.	ROUND	TL=72MM, O/S56MM	MPC1403A	990
7	TATA 407 O/M	16	4	100	6	8.2	13 NO.	ROUND	2515 2620 0111	MGCPC401	460
8	TATA 407 N/M	16	4	120	6	10.2	17 NO.	ROUND		MGCPC402	550
9	TATA 709, 909 EX N/M	16	4.72	120	6	10.2	17 NO.	ROUND	TL=60MM, O/S58MM	MPC117A	620
10	TATA 1109 EURO II BSIII	16	5	130	8	10.2	17 NO.	ROUND	TL=60MM, O/S58MM	MPC201A	740
11	EICHER TERRA 16 N/M	16	6	150	4	12.1	19 NO.	SERRATED	TL=95MM, O/S70MM	MPC1403BS	1975
12	EICHER TERRA 16 TIPPER	16	SQR.	SQR.	4			SQUARE	TL=96MM, O/S70MM	MPC1403B	1430
13	EICHER 30.25 N/M	16	7	176	8	9.5	3/8	ROUND	TL=92MM, O/S70MM	MPC802E	1900
14	EICHER CANTER (ROUND)	18			4			ROUND	TL=67MM, O/S56MM	MPC1403AA	1090
15	TATA ACE - O/M	23	3.5	90	4	8.2	13 NO.	ROUND	TL=72MM, O/S48MM	MPC1505	645
16	TATA MAGIC/ HT - N/M	23	3.5	90	4	8.2	13 NO.	ROUND	TL=74MM, O/S40MM	MPC1505A	645
17	TATA 3128, 2528, PRIMA 4928 - THRU SHAFT FLANGE	24	6	150	4	12.1	19 NO.	SERRATED	TL=88MM, O/S85MM	MPC1613	2530
18	TATA PRIMA	24	6	150	4	12.1	19 NO.	SERRATED	TL=90MM, O/S85MM	MPC1614	2530
19	TATA SUMO (SPICER - PATTI TYPE)	26	PATTI	PATTI				PATTI TYPE		MPC503	715
20	JEEP DIESEL (MAX PICK-UP, BOLERO)	26	PATTI	PATTI				PATTI TYPE		MPC903A/ 503	715
21	TATA SUPER ACE	26	3.5	90	4	8.2	13 NO.	ROUND	TL=66MM, O/S40MM	MPC1505AA	690
22	LEY. DOST	26	3.5	90	4	8.2	13 NO.	ROUND	TL=74MM, O/S40MM	MPC2905	730
23	MAH. MAXXIMO	26	3.8	94	4	8.2	13 NO.	ROUND	TL=56MM, O/S40MM	MPC2805/ 902A	635
24	TATA 1210	26	4.5	120	6	10.2	17 NO.	ROUND	312 350 1245	MPC103	605
25	TATA 1312	26	5	130	8	10.2	17 NO.	ROUND	2576 3520 0110	MPC204	690
26	TATA 2518	26	6	150	8	12.1	19 NO.	ROUND		MPC1314	1210

27	TATA 1616, 1613 TURBO, 3118, 3516 (TL=61mm, O/S 68mm)	26	6	150	4	12.1	19 NO.	SERRATED	90-1-0017/ TL=61MM, O/S68MM	MPC1603RS	1595
28	TATA 1616, 1613 TURBO, 3118, 3516 (TL=61mm, O/S 68mm) - CUT PLATE	26	6	150	4	12.1	19 NO.	SERRATED	90-1-0017/ TL=61MM, O/S68MM - CUT PLATE TY.	MPC1603BRS	1650
29	TATA 2518 TC (TL=86mm, O/S 90mm)	26	6	150	4	12.1	19 NO.	SERRATED	TL=86MM, O/S90MM	MPC1603RSS	2530
30	TATA 4018 - N/M	26	6.5	165	8	16.2	24 NO.	ROUND	TL=80MM, O/S69MM	MPC1603R	1595
S.NO	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**PINION COUPLING FLANGES (MPC)**

31	TATA LPK 3118 TIPPER, LPK 2523, LPS 4923	26	7	180	4	14	22 NO.	SERRATED	TL=86MM, O/S90MM	MPC2503RSS	2420
32	TATA (26S, 4H SERRATED, 7")	26	7	180	4	14	22 NO.	SERRATED	TL=62MM, O/S67MM	MPC2503RS	2200
33	SWARAJ MAZDA (31S)	31	SQR.	SQR.	4	12.1	14 NO.	SQUARE	TL=66MM, O/S50MM	MPC1403DB	1025
34	TATA 2515/3516	34	5	130	8	10.2	17 NO.	ROUND		MCPC1202	970
35	TATA & LEY. 2516 (THRU SHAFT - MERITOR AXLE)	34	6	150	4	12.1	19 NO.	SERRATED	TL=82mm, O/S 64mm	MPC1302SS	1870
36	INTER-AXLE (1st AXLE OUTPUT) - 34S	34	SQR.	SQR.	4	12.1	19 NO.	SQUARE	TL=90MM, O/S63MM	MPC1302A	1045
37	EICHER HCV, 11.10	39	SQR.	SQR.	4	12.1	21 NO.	SQUARE	TL=71MM, O/S70MM	MPC1403D	975
38	EICHER 20.16 JUMBO	39	SQR.	SQR.	4	12.1	21 NO.	SQUARE	TL=76MM, O/S70MM	MPC1403AD	1025
39	TATA 2515/ 3516 (SMALL O/S)	39	5	130	8	10.2	17 NO.	ROUND	BIG O/S76MM	MPC1203	1145
40	TATA 2515/ 3516 (BIG O/S)	39	5	130	8	10.2	17 NO.	ROUND	SMALL O/S72MM	MPC1203B	1125
41	INTER-AXLE (2nd AXLE INPUT) - O/S 72, MERRITOR TYPE	39	6	150	4	12.1	19 NO.	ROUND	TL=88MM, O/S 67MM	MPC1303AA	1390
42	INTER-AXLE (2nd AXLE INPUT) - O/S 76 - SPICER TYPE	39	6	150	4	12.1	19 NO.	ROUND	TL=87MM, O/S 74MM	MPC1303B	1485
43	INTER-AXLE (2nd AXLE INPUT) - O/S 76 - SPICER TYPE	39	6	150	4	12.1	19 NO.	ROUND	TL=105MM, O/S 76MM	MPC1303AB	1585
44	LEY. 2516 - INTERAXLE (LATEST) (2nd AXLE INPUT) - O/S 67	39	6	150	4	12.1	19 NO.	SERRATED	TL=85MM, O/S DIA 67MM	MPC1303AAS	1925
45	LEY. 1616, 2516 (RR AXLE - SPICER TY.)	39	6	150	4	12.1	19 NO.	SERRATED	TL=104MM, O/S76MM	MPC1303ABS	2000
46	TATA & LEY. 2516, 2518 (THRU SHAFT - MERITOR AXLE) (TL=88MM, SMALL O/S)	39	6	150	4	12.1	19 NO.	SERRATED	TL=88MM, SMALL O/S71MM	MPC1603AS	2145

47	TATA & LEY. 2516, 2518 (BIG O/S)	39	6	150	4	12.1	19 NO.	SERRATED	TL=94MM, BIG O/S76MM	MPC1603AAS	2145
48	EICHER HCV	39	6	150	4	12.1	19 NO.	SERRATED	TL=76MM, O/S70MM	MPC1603ES	1850
49	TATA & AMW 2516, 2518 (LONG HT.)	39	6.5	165	8	16.2	24 NO.	ROUND	TL=112mm, O/S 76mm	MPC1603A	1980
50	TATA & AMW 2516, 2518 (BIG O/S)	39	6.5	165	8	16.2	24 NO.	ROUND	TL=90mm, O/S 76mm	MPC1603AB	1900
51	TATA & AMW 2516, 2518 (SMALL O/S)	39	6.5	165	8	16.2	24 NO.	ROUND	TL=90mm, O/S 71mm	MPC1603AD	1850
52	L/L TAURUS - T11 (O/S 72mm)	39	7	175	8	9.5	3./8	ROUND	TL=90MM, O/S72MM	MPC803	1815
53	L/L 2214, TCAC SUPER TUSKER (O/S 76mm)	39	7	175	8	9.5	3./8	ROUND	P 4300214/ TL90MM, O/S76MM	MPC1303	1815
S.NO	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**PINION COUPLING FLANGES (MPC)**

54	L/L 2214, TCAC SUPER TUSKER (O/S 76mm - LONG HT.)	39	7	175	8	9.5	3./8	ROUND	TL104MM, O/S76MM	MPC1303L	1925
55	TATA/ LEY./ AMW 4923, 4921 (SMALL O/S)	39	7	178	4	14	22 NO.	SERRATED	TL=112mm, O/S 70mm	MPC2503AS	2665
56	TATA/ LEY./ AMW 4923, 4921 (BIG O/S)	39	7	178	4	14	22 NO.	SERRATED	TL=112mm, O/S 76mm	MPC2503AAS	2665
57	TATA 2515/ 3516 (SPICER TY - CROSS TUSKER - PATTI TY.)	39	PATTI	PATTI				PATTI TYPE	INSKU 100476	MPC1203S	1735
58	INTER-AXLE (2nd AXLE INPUT) - 39S - BIG O/S	39	SQR.	SQR.	4	12.1	19 NO.	SQUARE	TL=90MM, BIG O/S76MM	MPC1303A	1210
59	INTER-AXLE (2nd AXLE INPUT) - 39S - SMALL O/S	39	SQR.	SQR.	4	12.1	19 NO.	SQUARE	TL=90MM, SMALL O/S72MM	MPC1303AD	1175
60	TATA 2515/ 3516 (O/S 72)	41	5	130	8	10.2	17 NO.	ROUND	TL=90MM, O/S76MM	MPC1203A	1145
61	TATA & LEY. 2516, 2518 (TL=94mm)	41	6	150	4	12.1	19 NO.	SERRATED	TL=94MM, O/S76MM	MPC1603S	2145
62	TATA & AMW 2515, 2516, 25184018 (TL=112mm LONG HT.)	41	6.5	165	8	16.2	24 NO.	ROUND	TL=112mm, O/S 76mm	MPC1603	1980
63	TATA & AMW 2515, 2516, 25184018 (TL=90mm)	41	6.5	165	8	16.2	24 NO.	ROUND	TL=90mm, O/S 76mm	MPC1603	1980
64	L/L 2214, TCAC SUPER TUSKER (O/S 76mm)	41	7	175	8	9.5	3./8	ROUND	TL=92MM, O/S76MM	MPC1304	1815
65	TATA/ LEY./ AMW (BIG O/S)	41	7	178	4	14	22 NO.	SERRATED	TL=88mm, O/S 76mm	MPC2503S	2665
66	INTER-AXLE (1SsT AXLE INPUT) - 41S	41	SQR.	SQR.	4			SQUARE	O/S76MM	MPC1304A	1235

67	TATA 2515/ 3516 (SPICER TY - CROSS SPIECR SPL90 - PATTI TY.)	41	PATTI	PATTI				PATTI TYPE	INSKU 100475	MPC1203AS	1735
68	TATA/ LEY./ AMW (INPUT SHAFT)	44	6	150	4	12.1	19 NO.	SERRATED	TL=92MM, O/S76MM	MPC1611	2200
69	TATA/ LEY./ AMW 2518 (INPUT SHAFT) - LONG HT.	44	6	150	4	12.1	19 NO.	SERRATED	TL=102MM, O/S75MM	MPC1611A	2125
70	LEY. 2516 - INPUT SHAFT	44	7	176	8	9.5	3./8	ROUND	TL=110MM, O/S76M	MPC2511A	2500
71	LEY. 2516 N/M	44	7	176	8	9.5	3./8	ROUND	TL=91MM, O/S75MM	MPC2511B	2420
72	TATA/ LEY./ AMW (BIG O/S)	44	7	180	4	14	22 NO.	SERRATED	TL=112mm, O/S 76mm	MPC2511	2665
73	TATA/ LEY./ AMW - MERITOR AXLE (46S, 6", 4H CUT)	46	6	150	4	12.1	19 NO.	SERRATED	TL=92MM, O/S DIA 83MM	MPC1612	2310
S.NO	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**PINION COUPLING FLANGES (MPC)**

74	LEY. 2516 BSIII - LATEST	46	7	176	8	9.5	3./8	ROUND	TL=84MM, O/S82MM	MPC2512A	2420
75	AMW, EICHER 40.40, TERRA 25	46	8	202	12	12.1	21 NO.	ROUND	TL=85MM, O/S83MM	MPC2512E	2500
76	TATA/ LEY./ AMW (TL=70, O/S 83)	46	7	178	4	14	22 NO.	SERRATED	TL=70mm, O/S 83mm	MPC2512	2575
77	TATA/ LEY./ AMW/ MAN (46S, 7")	46	7	180	4	14	22 NO.	SERRATED	TL=90MM, O/S 85MM	MPC2512A	2575

**4. FLANGE YOKE CROSS HOLDER (MCH)**

S.NO	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							
1	TATA 1210/ SE	1210 - MC1022	4.5	120	6	10.2	17 NO.	38X56.7	312 411 1111/ ROUND	MCH104	715
2	TATA 1210 N/M	1210 - MC0122	5	130	8	10.2	17 NO.	38X56.7	ROUND	MCH205C	1100
3	1210 PLATE, 8H, 1210 CROSS	1210 - MC1022	4.5	120	8	10.2	17 NO.	38X56.7	ROUND	MCH104C	800
4	TATA 1312	1312 - MC1023	5	130	8	10.2	17 NO.	46X68.7	2576 4111 5110/ ROUND	MCH205	1145
5	TATA 1312 N/M (TIPPER - 6 HOLE)	1312 - MC1023	4.5	120	6	10.2	17 NO.	46X68.7	ROUND	MCH205A	1145
6	TATA 1312 - LONG	1312 - MC1023	5	130	8	10.2	17 NO.	46X68.7	INSKU 100231/ ROUND	MCH205AA	1290
7	TATA 2518 LPK	1312 - MC1023	6	150	8	12.1	19 NO.	46X68.7	ROUND	MCH205B	1430

8	TATA 2515 EX	SPICER SPL90X - MC1013	5	130	8	10.2	17 NO.	41.27X126	INSKU 100860/ ROUND	MCH1204A	1265
9	TATA 2518/ LPO 1616 BUS/ 1625 BUS/ LPO 1628/ LPO 2521	SPICER SPL90X - MC1013	6	150	8	12.1	19 NO.	41.27X126	90-2-29/ ROUND	MCH1204AA	1460
10	LEY. 2214/ 3516/ 2516/ 1616/ TCAC SUPER TUSKER/ EICHER 30.25	SPICER SPL90X - MC1013	7	175	8	9.5	3./8	41.27X126	90-2-19/ ROUND	MCH1204	1515
11	TATA 2518 TC/ LEY. 2516 (INTER-AXLE , SPICER SPL90X - LONG)	SPICER SPL90X - MC1013	SQR	SQR	4	12.8	21 NO.	41.27X126	SQUARE BASE	MCH1220A	1240
12	TATA 3118/ 2521/ LEY. 3116/ 1616 (SPICER SPL90X - SERRATED - HT=104MM)	SPICER SPL90X - MC1013	6	150	4	12.1	19 NO.	41.27X126	P 4502232/ SERRATED	MCH1242	1700
S.NO	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**FLANGE YOKE CROSS HOLDER (MCH)**

13	TATA 2518/ INTER-AXLE 1710 SERIES (SPICER SPL90X - SERRATED - HT=126MM)	SPICER SPL90X - MC1013	6	150	4	12.1	19 NO.	41.27X126	SERRATED	MCH1242A	1825
14	LEY. AVIA - 1218 E3 (5" 4H CUT)	SPICER SPL90X - MC1013	5	125	4	10.2	17 NO.	41.27X126	SERRATED	MCH1242AB	1400
15	TATA 2515 EX (RSB 325 SERIES)	RSB 325 - MC1030	5	130	8	10.2	17 NO.	42X119.8	2632 4110 5105/ ROUND	MCH1204AR	1265
16	TATA 2518 N/M (RSB TYPE)	RSB 325 - MC1030	6	150	8	12.1	19 NO.	42X119.8	ROUND	MCH1204AAR	1460
17	TATA 2515 EX (RSB 325 - SERRATED - HT=112MM")	RSB 325 - MC1030	6	150	4	12.1	19 NO.	42X119.8	SERRATED	MCH1604AS	1750
18	TATA 1616 (RSB 325 - SERRATED - HT=126MM) LONG	RSB 325 - MC1030	6	150	4	12.1	19 NO.	42X119.8	SERRATED	MCH1604ASS	1825
19	tata 1616, 1613 EURO III TURBO (RSB 325 - SERRATED - HT=118MM)	RSB 325 - MC1030	6	150	4	12.1	19 NO.	42X119.8	SERRATED	MCH1604ACS	1800
20	TATA 2515 EX - N/M	RSB 403 - MC1026	5	130	8	10.2	17 NO.	42X129.4	ROUND	MCH1204ABR	1300
21	TATA 2515, 3015, 2516 LPT (RSB 403 SERIES)	RSB 403 - MC1026	6	150	8	12.1	19 NO.	42X129.4	ROUND	MCH1204B	1460
22	TATA 2518 (RSB 403 SERIES - SERRATED - HT=112MM)	RSB 403 - MC1026	6	150	4	13	19 NO.	42X129.4	SERRATED	MCH1604S	1750



23	TATA 2518 (RSB 403 SERIES - SERRATED - HT=126MM")	RSB 403 - MC1026	6	150	4	13	19 NO.	42X129.4	SERRATED	MCH1604SS	1825
24	TATA 2516 LPK (RSB 403 SERIES)	RSB 403 - MC1026	6.5	165	8	16.2	24 NO.	42X129.4	ROUND	MCH1604	1695
25	LEY. 2516, 3516 (RSB 403 - LONG)	RSB 403 - MC1026	7	175	8	9.5	15 NO.	42X129.4	ROUND	MCH1204R	1695
26	TATA/ LEY./ AMW (7" 4H CUT)	RSB 403 - MC1026	7	180	4	14	22 NO.	42X129.4	SERRATED	MCH2504ARR	2200
27	TATA 4018 (RSB 490 SERIES - LOCK TYPE)	RSB 490 - MC1031	6.5	165	8	16.2	24 NO.	48X135	ROUND	MCH1322	1925
28	TATA 4018 (RSB 490 SERIES - SERRATED - HT=116MM)	RSB 490 - MC1031	6	150	4	13	19 NO.	48X135	SERRATED	MCH1322S	2100
29	TATA 4018 (RSB 490 - SERRATED - HT=132MM)	RSB 490 - MC1031	6	150	4	13	19 NO.	48X135	SERRATED	MCH1322SS	2350
30	TATA 4018/ LEY. 4921 (RSB 490 - SERRATED - HT=132MM")	RSB 490 - MC1031	7	180	4	15	22 NO.	48X135	SERRATED	MCH2504R	2420
31	RSB 585 SERIES (7" 4H CUT)	RSB 585 - MC1040	7	180	4	24	22 NO.	48X154	SERRATED	MCH2504AR	2640
S.NO	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**FLANGE YOKE CROSS HOLDER (MCH)**

32	TATA 4018 (SPICER - PATTI TY.)	SPICER 5-280X - MC1032P	6.5	165	8	16.2	24 NO.	49.2X155	ROUND	MCH1604A	2120
33	TATA 3118/ 1618/ 2518/ 2521/ AMW 2518/ LEY. 2516/ 4921/ 3121/ MAN-25T (SPICER PATTI TY. - SERRATED - HT=118MM)	SPICER 5-280X - MC1032P	6	150	4	13	19 NO.	49.2X155	SERRATED	MCH1604AAS	2300
34	TATA 3118/ 1618/ 2518/ 2521/ AMW 2518/ LEY. 2516/ 4921/ 3121/ MAN-25T (SPICER PATTI TY. - SERRATED - HT=125MM)	SPICER 5-280X - MC1032P	6	150	4	13	19 NO.	49.2X155	SERRATED	MCH1604ABS	2420
35	TATA 1623/ 1625/ 1628 (SPICER PATTI TY - SERRATED - HT=120MM)	SPICER 5-280X - MC1032P	7	180	4	15	22 NO.	49.2X155	SERRATED	MCH2504P	2520
36	AMW 2518/ EICHER 40.25 (SPICER PATTI TY - 8", 12H)	SPICER 5-280X - MC1032P	8	204	12	12.1	19 NO.	49.2X155		MCH2704P	2520
37	LEY. 370/ BEDFORD	L/L 370 - MC1020	6	150	4	12.8	21 NO.	39.67X116	ROUND	MCH604	1045
38	LEY. TUSKER (MSL TYPE)	TUSKER - MC1021	SQR	SQR	4	12.8	21 NO.	34.92X126.2	F 2133311/ SQUARE BASE	MCH704	900
39	TATA 1109 EX EURO II BSIII	TUSKER - MC1021	5	130	8	10.2	17 NO.	34.92X126.2	ROUND	MCH704A	1280

40	TATA 709, 909 EURO III	TUSKER - MC1021	4.72	120	6	10.2	17 NO.	34.92X126.2	ROUND	MCH704C	1265
41	LEY. ECOMET, IVECO CARGO 712, TATA 36 SEATER LP BUS	TUSKER - MC1021	5	125	4	10.2	17 NO.	34.92X126.2	SERRATED	MCH704S	1375
42	EICHER TERRA 16	TUSKER - MC1021	6	150	4	12.1	19 NO.	34.92X126.2	SERRATED	MCH704AS	1600
43	TATA 2515 TC/ LEY. 2516 (INTER-AXLE , TUSKER - LONG)	TUSKER - MC1021	SQR	SQR	4	12.8	21 NO.	34.92X126.2	INSKU 1000082	MCH1220	1240
44	LEY. TAURUS - T11	TAURUS - MC1015	7	175	8	9.5	15 NO.	47.62X135	MSL 3502027	MCH804	1670
45	LPS 4923, LPK 3118, LEY.3119 MINING, EICHER TERRA 25 (HT=132MM)	TAURUS - MC1015UT	6	150	4	12.1	19 NO.	47.64X135		MCH2622SS	2350
46	LEY. 4936, 4436 TR, EICHER VE 2100, TATA 3138, 1828, 5252 (HT.135MM)	TAURUS - MC1015UT	7	180	4	14	22 NO.	47.64X135		MCH2504UT	2520
47	AMW - 52X133, 6", 4H, SERRATED (HT.=122MM)	AMW - MC1037	6	150	4	12.1	19 NO.	52X133		MCH2604	2420
48	AMW - 52X133, 7", 4H, SERRATED (HT.=132MM)	AMW - MC1037	7	180	4	14	22 NO.	52X133		MCH2604A	2640
49	TATA LPT 2523, LPK 2523, LPK 3118 (HT.=122MM)	AMW - MC1038	6	150	4	12.1	19 NO.	52X147	SERRATED	MCH2604ABS	2520
S.NO	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			Inch	mm							

**FLANGE YOKE CROSS HOLDER (MCH)**

50	LPK 3138, LPK 2538, LPT 3721, MAH. 25T, BHARAT BENZ 2523 (HT.135MM)	AMW - MC1038	6	150	4	12.1	19 NO.	52X147	SERRATED	MCH2604AAB	2580
51	AMW - 52X147, 7", 4H, SERRATED (HT=124MM)	AMW - MC1038	7	180	4	14	22 NO.	52X147	SERRATED	MCH2604AB	2640
52	LPK 2523, LEY. 3123 (INTERAXLE - HT.=145MM)	AMW - MC1038	7	180	4	14	22 NO.	52X147	SERRATED	MCH2722SS	2640
53	AMW - 57X144, 6.5", 8H	AMW - MC1034	6.5	165	8	16.2	24 NO.	57X144		MCH1604AA	2100
54	AMW - 57X152, 7", 4H, SERRATED (HT.=132MM)	AMW - MC1036	7	180	4	14	22 NO.	57X152		MCH2504AA	2640
55	LPTA 3138, 1028, 2038, 2538, LEY. 4936, 4436 TR, BHARAT BENZ 2528,3128, 4928, VOLVO	SPR 2060 - MC1041	7	180	4	14	22 NO.	59X167		MCH2922S	2640
56	TATA 407	407 TELCO - MC1005	4	100	6	8.2	13 NO.	30X82	2651 4110 5102	MCH403	580
57	EICHER CANTER	CANTER - MC1025	SQR	SQR	4	8	13 NO.	30.17X106	SQUARE BASE	MCH1404	665

58	LEY. IVECO 709, 909 (CANTER - SERRATED)	CANTER - MC1025	4.5	120	4	11	18 NO.	30.17X106	SERRATED	<b>MCH1404S</b>	1300
59	TATA 407 TURBO/ EX/ 410 EX/ 709/ 909	CANTER - MC1025	4.5	120	6	10.2	17 NO.	30.17X106	3-2-0058/ ROUND	<b>MCH104A</b>	770
60	TATA 407 PICK UP	JCB 3D - MC1033	4.5	120	6	10.2	17 NO.	34.92X106	ROUND	<b>MCH104AA</b>	825
61	TATA 407 TURBO, LPT 407, 410 EX (MSL TYPE) - DCM CROSS	DCM - MC1029	4	100	6	8.2	13 NO.	30.17X92.5	ROUND	<b>MCH403A</b>	770
62	TATA 407 TURBO, LPT 407, 410 EX (MSL TYPE) - DCM CROSS	DCM - MC1029	4.72	120	6	10.2	17 NO.	30.17X92.5	ROUND	<b>MCH403AA</b>	
63	TATA ACE O/M (INNER LOCK TYPE)	ACE - MC1027	SQR	SQR	4	8	13 NO.	23.82X35.2	SQUARE BASE	<b>MCH1503</b>	415
64	TATA MAGIC/ HT (OUTTER LOCK TY.)	MAGIC - MC1028	SQR	SQR	4	8	13 NO.	22X55	SQUARE BASE	<b>MCH1503A</b>	415
65	TATA SUPER ACE	JEEP DIESEL - MC1018	SQR	SQR	4			27X82	SQUARE BASE	<b>MCH1503AA</b>	640
66	JEEP DIESEL (ROUND)	JEEP DIESEL - MC1018	3.8	97	4	8.2	13 NO.	27X82	ROUND	<b>MCH905</b>	535
67	MAH. MAX-PICK UP/ BOLERO (JEEP - SQUARE)	JEEP DIESEL - MC1018	SQR	SQR	4	8.2	13 NO.	27X82	SERRATED	<b>MCH905A</b>	565
68	LEY. DOST	JEEP DIESEL - MC1018	SQR	SQR	4			27X82	SQUARE BASE	<b>MCH2903</b>	640
69	MAH. MAXXIMO	JEEP DIESEL - MC1018	SQR	SQR	4			27X82	SQUARE BASE	<b>MCH2803</b>	620
70	AMBASSADOR	AMB. - MC1019	3.4	87	4	8.2	13 NO.	23.83X61.4	ROUND	<b>MCH1804</b>	375

### 5. FULL YOKE & REAR TEETH SET (PLAIN & GLIDE COAT) - (MYT)

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINE S	PIPE DIA	MATING PARTS		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
						S.YOKE	R.TEETH			
1	TATA 1210 - 2.5"	1210 - MC1022	38X56.7	10	2.5"	MFY106	MRT107		<b>MYT105</b>	2360
2	TATA SE - 3"	1210 - MC1022	38X56.7	10	3"	MFY113	MRT114		<b>MYT112</b>	2405
3	TATA 407 TO 1210	1210 - MC1022	38X56.7	10	2.25"	MFY106	MRT406A		<b>MYT404A</b>	2360
4	TATA 709 (1210 - 22 SPL)	1210 - MC1022	38X56.7	22	2.5"	MFY106A	MRT107A		<b>MYT105A</b>	2730
5	TATA 709 (1210 - 22 SPL) - GLIDE COAT	1210 - MC1022	38X56.7	22	2.5"	MFY106A	MRT107AC		<b>MYT105AC</b>	2970
6	TATA 1312	1312 - MC1023	46X69.7	16	3.5"	MFY207	MRT208		<b>MYT206</b>	3740
7	TATA 1312 - GLIDE COAT	1312 - MC1023	46X69.7	16	3.5"	MFY207	MRT208C		<b>MYT206C</b>	4155
8	TATA 2515 EX (1312 - LONG)	1312 - MC1023	46X69.7	16	3.5"	MFY1207	MRT1208		<b>MYT1225</b>	4640
9	TATA 2515 EX (1312 - LONG) - COATED	1312 - MC1023	46X69.7	16	3.5"	MFY1207	MRT1208C		<b>MYT1225C</b>	5065

10	TATA 1312 - 24 SPLINE	1312 - MC1023	46X69.7	24	3.5"	MFY207A	MRT208A		MYT206A	3850
11	TATA 1312 - 24 SPLINE - GLIDE COAT	1312 - MC1023	46X69.7	24	3.5"	MFY207A	MRT208AC		MYT206AC	4290
12	TATA 1613 TURBO - N/M (MSL 63 SLIP - 3.5")	SPICER SPL90X - MC1013	41.27X126	16	3.5"	MFY1206A	MRT1209AC		MYT1205A	3850
13	TATA 1613 TURBO - N/M (MSL 63 SLIP - 3.5") - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	3.5"	MFY1206A	MRT1209AC		MYT1205AC	4235
14	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1306A	MRT1307A		MYT1305A	3960
15	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, H/S, GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1306A	MRT1307AC	5016040/ 5016042	MYT1305AC	4345
16	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, F/S	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1306A	MRT1307AA	5016040/ 5016042	MYT1305AA	3990
17	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, F/S, GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1306A	MRT1307AAC	5016040/ 5016042	MYT1305AAC	4400
18	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, YOKE EN-8	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1306AF (FORG EN-8)	MRT1307A		MYT1305AF	4235
19	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, H/S, YOKE EN- 8 - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1306AF (FORG EN-8)	MRT1307AC	5016040/ 5016042	MYT1305ACF	4620
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINE S	PIPE DIA	MATING PARTS		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
						S.YOKE	R.TEETH			

**FULL YOKE & REAR TEETH SET (MYT)**

20	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, F/S, YOKE EN-8	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1306AF (FORG EN-8)	MRT1307AA	5016040/ 5016042	MYT1305AAF	4265
21	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, F/S, YOKE EN-8 - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1306AF (FORG EN-8)	MRT1307AAC	5016040/ 5016042	MYT1305AACF	4675
22	L/L TRAILOR - MSL, 4", 63 SLIP, GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1206A	MRT1210AC		MYT1216AC	4290
23	L/L TRAILOR - MSL, 4", 63 SLIP	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1206A	MRT1210A		MYT1216A	3880
24	TATA 1613 TURBO - N/M (SPICER 63 SLIP - 3.5")	SPICER SPL90X - MC1013	41.27X126	30	3.5"	MFY1206	MRT1209	INSKU 100259/ INSKU 100433	MYT1205	3850

25	TATA 1613 TURBO - N/M (SPICER 63 SLIP - 3.5") - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	30	3.5"	MFY1206	MRT1209C	INSKU 100259/ INSKU 100433	MYT1205C	4235
26	TATA 2516/ 3516/ HYVA & L/L 2214 - SPICER TY., 110 SLIP	SPICER SPL90X - MC1013	41.27X126	30	4"	MFY1306	MRT1307		MYT1305	3960
27	TATA 2516/ 3516/ HYVA & L/L 2214 - SPICER TY., 110 SLIP - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	30	4"	MFY1306	MRT1307C	INSKU 100257/ INSKU 100276	MYT1305C	4345
28	TATA 2516/ 3516/ HYVA & L/L 2214 - SPICER TY., 110 SLIP, YOKE EN-8	SPICER SPL90X - MC1013	41.27X126	30	4"	MFY1306F (FORG. EN-8)	MRT1307		MYT1305F	4235
29	TATA 2516/ 3516/ HYVA & L/L 2214 - SPICER TY., 110 SLIP, YOKE EN-8-GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	30	4"	MFY1306F (FORG. EN-8)	MRT1307C	INSKU 100257/ INSKU 100276	MYT1305CF	4620
30	L/L TRAILOR - SPICER, 4", 63 SLIP	SPICER SPL90X - MC1013	41.27X126	30	4"	MFY1206	MRT1210		MYT1216	3880
31	L/L TRAILOR - SPICER, 4", 63 SLIP, GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	30	4"	MFY1206	MRT1210C		MYT1216C	4265
32	TATA & LEY. - INTER-AXLE, SPICER 1710 SERIES, SPICER SPL90X CROSS, 4" - SHORT	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1241A	MRT1607C	YOKE TL=12"/ 306MM, TEETH TL=10.25"/ 260MM	MYT1240AC	6260
33	TATA & LEY. - INTER-AXLE, SPICER 1710 SERIES, SPICER SPL90X CROSS, 4" - LONG	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1241	MRT1232MC	YOKE TL=13.75"/ 350MM, TEETH TL=11.75"/ 295MM	MYT1240C	6900
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	PIPE DIA	MATING PARTS		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
						S.YOKE	R.TEETH			

**FULL YOKE & REAR TEETH SET (MYT)**

34	TATA & LEY. - INTER-AXLE, SPICER 1710 SERIES, SPICER SPL90X CROSS, 4" - LONG (W/ DUST COVER & SEAL)	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1241	MRT1232MCP	YOKE TL=13.75"/ 350MM, TEETH TL=11.75"/ 295MM	MYT1240PC	7500
35	TATA & LEY. - INTER-AXLE, SPICER 1710 SERIES, SPICER SPL90X CROSS, 4" - EXTRA LONG	SPICER SPL90X - MC1013	41.27X126	16	4"	MFY1241AA	MRT1232AMC	YOKE TL=14"/ 360MM, TEETH TL=13"/ 325MM	MYT1240AAC	7325
36	TATA 4018 (PATTI TY. CR. - SHORT)	SPICER 5-280X - MC1032P	49.2X154.90	16	4"	MFY1606	MRT1607C	YOKE TL=11.5", TEETH TL=10.25"	MYT1605C	6490

37	TATA 4018 (PATTI TY. CR. - LONG)	SPICER 5-280X - MC1032P	49.2X154.90	16	4"	MFY1906	MRT1232	YOKE TL=13", TEETH TL=11.75"	MYT1905	6775
38	TATA 4018 (PATTI TY. CR. - LONG) - COATED	SPICER 5-280X - MC1032P	49.2X154.90	16	4"	MFY1906	MRT1232C	YOKE TL=13", TEETH TL=11.75"	MYT1905C	7200
39	L/L 370/ BEDFORD - 3", F/S	370 - MC1020	39.67X116	16	3"	MFY606	MRT607	TEETH - FULL SPLINE	MYT605	2480
40	L/L 370/ BEDFORD - 3", H/S	370 - MC1020	39.67X116	16	3"	MFY606	MRT607H	TEETH - HALF TEETH	MYT605H	2480
41	L/L 370/ BEDFORD - 3", F/S - GLIDE COAT	370 - MC1020	39.67X116	16	3"	MFY606	MRT607C	TEETH - FULL TEETH (COATED)	MYT605C	2775
42	L/L 370/ BEDFORD - 3", H/S - GLIDE COAT	370 - MC1020	39.67X116	16	3"	MFY606	MRT607HC	TEETH - HALF TEETH (COATED)	MYT605HC	2775
43	L/L 370/ BEDFORD - 3.5", F/S	370 - MC1020	39.67X116	16	3.5"	MFY606	MRT608	TEETH - FULL TEETH	MYT605A	2525
44	L/L 370/ BEDFORD - 3.5", H/S	370 - MC1020	39.67X116	16	3.5"	MFY606	MRT608H	TEETH - HALF TEETH	MYT605AH	2525
45	L/L 370/ BEDFORD - 3.5", F/S - GLIDE COAT	370 - MC1020	39.67X116	16	3.5"	MFY606	MRT608FC	TEETH - FULL TEETH (COATED)	MYT605AC	2810
46	L/L 370/ BEDFORD - 3.5", F/S - GLIDE COAT	370 - MC1020	39.67X116	16	3.5"	MFY606	MRT608HC	TEETH - HALF TEETH (COATED)	MYT605AHC	2810
48	L/L TUSKER (MSL TY.) - 3", F/S	TUSKER - MC1021	34.92X126.2	16	3"	MFY706	MRT607	TEETH - FULL TEETH	MYT705	2480
49	L/L TUSKER (MSL TY.) - 3", H/S	TUSKER - MC1021	34.92X126.2	16	3"	MFY706	MRT607H	TEETH - HALF TEETH	MYT705H	2480
50	L/L TUSKER (MSL TY.) - 3", F/S, GLIDE COAT	TUSKER - MC0121	34.92X126.2	16	3"	MFY706	MRT607C	TEETH - FULL TEETH (COATED)	MYT705C	2775
51	L/L TUSKER (MSL TY.) - 3", H/S, GLIDE COAT	TUSKER - MC0121	34.92X126.2	16	3"	MFY706	MRT607HC	TEETH - HALF TEETH (COATED)	MYT705HC	2775
52	L/L TUSKER (MSL TY.) - 3.5", F/S	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706	MRT608	TEETH - FULL TEETH	MYT705A	2525
53	L/L TUSKER (MSL TY.) - 3.5", H/S	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706	MRT608H	TEETH - HALF TEETH	MYT705AH	2525
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	PIPE DIA	MATING PARTS		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
						S.YOKE	R.TEETH			

**FULL YOKE & REAR TEETH SET (MYT)**

54	L/L TUSKER (MSL TY.) - 3.5", F/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706	MRT608C	TEETH - FULL TEETH (COATED)	MYT705AC	2810
55	L/L TUSKER (MSL TY.) - 3.5", H/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706	MRT608HC	TEETH - HALF TEETH (COATED)	MYT705AHC	2810
56	TATA MARCOPOLA, 709, 909 EURO II	TUSKER - MC1021	34.92X126.2	16	3"	MFY706B	MRT1407AC	BRG. DIA 40MM, BRG. NO.: 6208/ 88508	MYT1405BC	2970

57	L/L 1613 TIPPER, ECOMET, L/L STAG BUS (FULL SPLINE)	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706A (L=10")	MRT608AF (L=9.25")	TEETH - FULL TEETH	MYT1705	3045
58	L/L 1613 TIPPER, ECOMET, L/L STAG BUS (HALF SPLINE)	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706A (L=10")	MRT608AF (L=9.25")	TEETH - HALF TEETH	MYT1705H	3045
59	L/L 1613 TIPPER, ECOMET, L/L STAG BUS - GLIDE COAT (FULL SPLINE)	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706A (L=10")	MRT608AFC (L=9.25")	TEETH - FULL TEETH (COATED)	MYT1705C	3385
60	L/L 1613 TIPPER, ECOMET, L/L STAG BUS - GLIDE COAT (HALF SPLINE)	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706A (L=10")	MRT608AFC (L=9.25")	TEETH - HALF TEETH (COATED)	MYT1705HC	3385
61	L/L HINO BUS, EICHER JUMBO (FULL TEETH)	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706AA (L=11.25")	MRT608AAF (L=10")	TEETH - FULL TEETH	MYT1705A	3225
62	L/L HINO BUS, EICHER JUMBO - F/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706AA (L=11.25")	MRT608AAFC (L=10")	TEETH - FULL TEETH (COATED)	MYT1705AC	3555
63	L/L HINO BUS, EICHER JUMBO - H/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706AA (L=11.25")	MRT608AAHC (L=10")	TEETH - HALF TEETH (COATED)	MYT1705AHC	3555
64	L/L HINO BUS, EICHER JUMBO - H/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MFY706AA (L=11.25")	MRT608AAHC (L=10")	TEETH - HALF TEETH	MYT1705AH	3225
65	TATA & LEY. - INTER-AXLE, SPICER 1710 SERIES, TUSKER CROSS, 4"	TUSKER - MC1021	34.92X126.2	16	4"	MFY1236	MRT1232MC		MYT1235C	6850
66	TATA & LEY. - INTER-AXLE, SPICER 1710 SERIES, TUSKER CROSS, 4" - W/ DUST COVER & SEAL	TUSKER - MC1021	34.92X126.2	16	4"	MFY1236	MRT1232MCP		MYT1235PC	7450
67	LEY. 2516,1616, VIKING 222, EICHER 33.25 (22 SPL. - 3.5" PIPE)	TUSKER - MC1021	34.92X126.2	22	3.5"	MFYY706D (TL=9"/228MM)	MRT608DC (TL=8.5"/218MM)		MYT705DC	3100
68	LEY. 2516,1616, VIKING 222, EICHER 33.25 (22 SPL. - 3.5" PIPE) - BRG. TY.	TUSKER - MC1021	34.92X126.2	22	3.5"	MFYY706D (TL=9"/228MM)	MRT608ADC (TL=10.5"/268MM)	BRG. DIA 40MM, BRG. NO.: 6208/88508	MYT705ADC	3250
69	TATA 1109 EX	TUSKER - MC1021	34.92X126.2	27	3.5"	MFY2306	MRT2307C		MYT2305C	3450
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	PIPE DIA	MATING PARTS		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
						S.YOKE	R.TEETH			

**FULL YOKE & REAR TEETH SET (MYT)**

70	EICHER TERRA 16 TIPPER, 2016 JUMBO (28 SPL) - GLIDE COAT	TUSKER - MC1021	34.92X126.2	28	3.5"	MFY1213	MRT1708C		MYT1705AAC	4345
71	L/L TAURUS - T11 - F/S	TAURUS - MC1015	47.62X135	16	3.5"	MFY805	MRT806	FULL TEETH	MYT807	3630

72	L/L TAURUS - T11 - F/S	TAURUS - MC1015	47.62X135	16	3.5"	MFY805	MRT806C	FULL TEETH COATED	MYT807C	4015
73	L/L TAURUS - T11 - H/S	TAURUS - MC1015	47.62X135	16	3.5"	MFY805	MRT806H	HALF TEETH	MYT807H	3630
74	L/L TAURUS - T11 - H/S (COATED)	TAURUS - MC1015	47.62X135	16	3.5"	MFY805	MRT806HC	HALF TEETH COATED	MYT807HC	4015
75	L/L TAURUS - T11 - F/S (LONG)	TAURUS - MC1015	47.62X135	16	3.5"	MFY816	MRT817	LONG (FULL TEETH)	MYT815	4455
76	TATA 407	407 TELCO - MC1005	30X82	16	2.25"	MFY405	MRT406		MYT404	1495
77	TATA 407 - GLIDE COAT	407 TELCO - MC1005	30X82	16	2.25"	MFY405	MRT406C		MYT404C	1715
78	TATA 407 TURBO (407 TELCO CROSS)	407 TELCO - MC1005	30X82	16	2.25"	MFY405	MRT406TT	MONOTRON/ BRG. DIA 35MM, BRG. NO.: 6207/ 88507	MYT404TT	1775
79	TATA 407 TURBO, 410 EX, 412 (MSL TYPE) - GLIDE COAT	DCM - MC1029	30.17X92	16	3"	MFY405A	MRT406MC	MONOTRON/ BRG. DIA 35MM, BRG. NO.: 6207/ 88507	MYT404MC	2205
80	TATA 407 TURBO (JEEP CROSS), 207 DI, FORCE (TOOFAN & CRUISER)	JEEP - MC1018	27X82	16	2.5"	MFY405T	MRT406T	MONOTRON/ BRG. DIA 35MM, BRG. NO.: 6207/ 88507	MYT404T	1765
81	TATA 407 TURBO (JEEP CROSS), 207 DI, FORCE (TOOFAN & CRUISER) - GLIDE COAT	JEEP - MC1018	27X82	16	2.5"	MFY405T	MRT406TC	MONOTRON/ BRG. DIA 35MM, BRG. NO.: 6207/ 88507	MYT404TC	1985
82	JEEP DIESEL - 6"	JEEP - MC1018	27X82	16	2.5"	MFY907	MRT908		MYT904	1410
83	JEEP DIESEL - 7"	JEEP - MC1018	27X82	16	2.5"	MFY907	MRT908A		MYT904A	1445
84	JEEP DIESEL - 6", GLIDE COAT	JEEP - MC1018	27X82	16	2.5"	MFY907	MRT908C		MYT904C	1630
85	JEEP DIESEL - 7", GLIDE COAT	JEEP - MC1018	27X82	16	2.5"	MFY907	MRT908AC		MYT904AC	1665
86	MAH. SCORPIO - N/M	JEEP - MC1018	27X82	16	2.5"	MFY405T	MRT406T		MYT404TC	1985
87	MAH. MAX PICK-UP	JEEP - MC1018	27X82	16	3"	MFY907	MRT914		MYT912	1460
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	PIPE DIA	MATING PARTS		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
						S.YOKE	R.TEETH			

**FULL YOKE & REAR TEETH SET (MYT)**

88	MAH. MAX PICK-UP (GLIDE COAT)	JEEP - MC1018	27X82	16	3"	MFY907	MRT914C		MYT912C	1680
----	-------------------------------	---------------	-------	----	----	--------	---------	--	---------	------



89	MAH. SCORPIO - O/M, TATA SPACIO GOLD	JEEP - MC1018	27X82	16	3"	MFY405T (TL=6.5"/ 168MM)	MRT914C (TL=5.75"/ 147MM)		MYT913C	1805
90	MAH. MAXI TRUCK	JEEP - MC1018	27X82	16	2.75"	MFY916 (TL=6"/ 156MM)	MRT917C (TL=5.85"/ 148MM)		MYT915C	1790
91	MAH. UTILITY, FC, NC, VOYAGER	JEEP - MC1018	27X82	16	2.5"	MFY919 (TL=6"/ 156MM)	MRT920C (TL=5.5"/ 140MM)		MYT918C	1725
92	MAH. XYLO, BOLERO N/M	JEEP - MC1018	27X82	16	2.5"	MFY916 (TL=6"/ 156MM)	MRT406ATC (TL=8"/ 200MM)	TEETH OD=31.40MM	MYT912AC	2135
93	EICHER CANTER	CANTER - MC1025	30.17X106	16	3"	MFY1406	MRT1407		MYT1405	1735
94	EICHER CANTER - GLIDE COAT	CANTER - MC1025	30.17X106	16	3"	MFY1406	MRT1407C		MYT1405C	1955
95	EICHER CANTER -LONG	CANTER - MC1025	30.17X106	16	3"	MFY1406A	MRT1407L		MYT1405L	1940
96	TATA 909 EX, 709 TURBO, 407 EX,410, SFC 407- GLIDE COAT	CANTER - MC1025	30.17X106	16	3"	MFY1406	MRT1407AC	BRG. DIA 40MM, BRG. NOP.: 6208/ 88508	MYT1405AC	2475
97	TATA CITY RIDE BUS, 709, 909 BSIII, 407 TURBO (MSL TY.)	CANTER - MC1025	30.17X106	16	3"	MFY1406	MRT1407AAC	BRG. DIA 35MM, BRG. NOP.: 6207/ 88507	MYT1405AAC	2475
98	TATA 407 PICK-UP (3" PIPE - GLIDE COAT)	JCB 3D - MC1033	34.92X106	16	3"	MFY1406B	MRT1407ABC		MYT1405ABC	2675
99	TATA 407 PICK-UP (PIPE 3.5" - GLIDE COAT)	JCB 3D - MC1033	34.92X106	16	3.5"	MFY1406B	MRT1407AABC		MYT1405AABC	2905
100	AMBASSADOR	AMB. - MC019	23.82X61.3	16	2"	MFY1806	MRT1807		MYT1805	955

## 6. FULL SLEEVE YOKE (MFY)

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TEETH	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
1	TATA 1210	1210 - MC1022	38X56.7	10	8"	MRT107, 406A	312 410 1908	MFY106	1335
2	TATA SE	1210 - MC1022	38X56.7	10	8.25"	MRT114	312 410 2108	MFY113	1335
3	TATA 709 TURBO/ 809 (1210 - 22 SPL.)	1210 - MC1022	38X56.7	22	8"	MRT107A, 107AC		MFY106A	1430
4	TATA 1312	1312 - MC1023	46X68.7	16	10.25"	MRT208, 208C	2576 4112 5104	MFY207	2090
5	TATA 2515 EX (1312 - LONG)	1312 - MC1023	46X68.7	16	13"	MRT1208		MFY1207	2640
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TEETH	OEM REF.	MOOVEL P.NO.	M.R.P Rs.

### FULL SLEEVE YOKE (MFY)

6	TATA 1613 TURBO (1312 - 24 SPL.)	1312 - MC1023	46X68.7	24	10.25"	MRT208A, 208AC		MFY207A	2145
7	TATA 2516/3516/ HYVA & L/L 2214/ TCAC SUPER TUSKER - MSL TY., 120 SLIP	SPICER SPL90X - MC1013	41.27X126	16	12"	MRT1307A, 1307AA, 1307AC, 1307AAC	5016040	MFY1306A	2255
8	TATA 2516/3516/ HYVA & L/L 2214/ TCAC SUPER TUSKER - MSL TY., 120 SLIP - YOKE - EN-8	SPICER SPL90X - MC1013	41.27X126	16	12"	MRT1307A, 1307AA, 1307AC, 1307AAC	5016040	MFY1306A (F)	2530
9	TATA 1616/ 1613 TURBO & L/L 3516/ 3014 - TRAILOR (MSL TY, 63 SLIP)	SPICER SPL90X - MC1013	41.27X126	16	10"	MRT1209A, 1209AC, 1210A, 1210AC		MFY1206A	2200
10	AMW (SHORT)	SPICER SPL90X - MC013	41.27X126	16	12"	MRT1607C		MFY1241A	3400
11	TATA & L/L (INTER-AXLE SPICER 1710 SERIES) - SPICER SPL90X CROSS (LONG)	SPICER SPL90X - MC013	41.27X126	16	13.75"	MRT1232MC, 1232MCP	5013734-3	MFY1241	3500
12	LEY. 3116, 2516 BSIII (MSL DESIGN) - EXTRA LONG	SPICER SPL90X - MC013	41.27X126	16	14"	MRT1232AMC		MFY1241AA	3600
13	TATA 2516/3516/ HYVA & L/L 2214/ TCAC SUPER TUSKER - SPICER TY., 110 SLIP	SPICER SPL90X - MC1013	41.27X126	30	12"	MRT1307, 1307C	INSKU 100257	MFY1306	2255
14	TATA 2516/3516/ HYVA & L/L 2214/ TCAC SUPER TUSKER - SPICER TY., 110 SLIP -(YOKE EN-8)	SPICER SPL90X - MC1013	41.27X126	30	12"	MRT1307, 1307C	INSKU 100257	MP1306 (F)	2530
15	TATA 1616/ 1613 TURBO & L/L 3516/ 3014 - TRAILOR (SPICER TY, 63 SLIP)	SPICER SPL90X - MC1013	41.27X126	30	10"	MRT1209, 1209C, 1210, 1210C	INSKU 100259	MFY1206	2200
16	TATA 4018 - SMALL & LEY. 2516 (SPICER PATTI TY CR.)	SPICER 5- 280X - MC1032P	49.2X155	16	11.5"	MRT1607C	6-7-2671 KX	MFY1606	3630
17	TATA 3118/ 2518/ 2521/ AMW 2518/ MAN 25T - 4018 LONG (SPICER PATTI TY. CR.)	SPICER 5- 280X - MC1032P	49.2X155	16	13"	MRT1232C	6-3-2651 KX	MFY1906	4000
18	L/L 370/ BEDFORD	370 - MC1020	39.67X116	16	8.1"	MRT607, 607H, 607HC, 608, 608H, 608HC, 607FC, 608FC	K4-3GB-538	MFY606	1455
19	L/L TAURUS	TUARUS - MC1015	47.62X135	16	9.5"	MRT806, 806AC, 806H, 806HC	MSL SUK 5055	MFY805	1980
		U. J. CROSS		NO. OF					M.R.P

S.NO	APPLICATION	REF.	CROSS SIZE	SPLINES	TOTAL LENGTH	MATING TEETH	OEM REF.	MOOVEL P.NO.	Rs.
<b>FULL SLEEVE YOKE (MFY)</b>									
20	L/L TAURUS - LONG	TUARUS - MC1015	47.62X135	16	12"	MRT817		<b>MFY816</b>	2530
21	L/L TUSKER (MSL TYPE)	TUSKER - MC1021	34.92X126.2	16	8"	MRT607, 607H, 607HC, 608, 608H, 608HC, 607FC, 608FC	P100432 4000 239	<b>MFY706</b>	1455
22	LEY. 2516, 1616, VIKING 222, EICHER 33.25 (22 SPL - TUSKER CROSS)	TUSKER - MC1021	34.92X126.2	22	9"	MRT608DC, 608ADC		<b>MFY706D</b>	1700
23	L/L 1613 TIPPER/ STAG BUS/ ECOMET	TUSKER - MC1021	34.92X126.2	16	10"	MRT608AF, 608AFC, 608AH, 608AHC	4-3-2641X	<b>MFY706A</b>	1680
24	L/L HINO BUS/ EICHER JUMBO	TUSKER - MC1021	34.92X126.2	16	11.25"	MRT608AAF, 608AAF, 608AAHC, 608AAH	4-3-1431 KX	<b>MFY706AA</b>	1815
25	TATA & L/L (INTER-AXLE SPICER 1710 SERIES) - TUSKER CROSS	TUSKER - MC1021	34.92X126.2	16	13.75"	MRT1232MC	4-3-0110X	<b>MFY1236</b>	3450
26	TATA 1109 TURBO (TUSKER CROSS)	TUSKER - MC1021	34.92X126.2	16	8"	MRT1407AC		<b>MFY706B</b>	1540
27	TATA 1109	TUSKER - MC1021	34.92X126.2	27	9.5"	MRT2307C		<b>MFY2306</b>	1700
28	EICHER JUMBO (SPICER TY. - 28 SPL)	TUSKER - MC1021	34.92X126.2	28	11.75"	MRT1708C		<b>MFY1213</b>	2200
29	TATA 407	407 TELCO - MC1005	30X82	16	6.75"	MRT406, 406C, 406TT	2651 4110 0125	<b>MFY405</b>	855
30	EICHER CANTER/ TATA 407 TURBO EX/ 709/ 909	CANTER - MC1025	30.17X106	16	8"	MRT1407, 1407C, 1407AC	3-3-118KX	<b>MFY1406</b>	1045
31	EICHER CANTER - LONG	CANTER - MC1025	30.17X106	16	9"	MRT1407L		<b>MFY1406L</b>	1150
32	JEEP DIESEL	JEEP - MC1018	27X82	16	6.75"	MRT908, 908A, 908C, 908AC, 914C		<b>MFY907</b>	815
33	TATA 407 TURBO (JEEP CROSS)/ MAH. SCORPIO N/M	JEEP - MC1018	27X82	16	6.5"	MRT406T, 406TC		<b>MFY405T/ 906</b>	940
34	MAH. MAXI TRUCK	JEEP - MC1018	27X82	16	6"	MRT917C (TL=5.85"/ 148MM), MRT406ATC		<b>MFY916</b>	925
35	MAH. UTILITY, FC, NC, VOYAGER/ XYLO, BOLERO - N/M	JEEP - MC1018	27X82	16	6"	MRT920C (TL=5.5"/ 140MM)		<b>MFY919</b>	925
36	TATA ACE O/M (INNER LOCK TY.)	ACE - MC1027	23.82X35	22	6.5"		INSKU 10074	<b>MFY1506</b>	690
37	TATA MAGIC/ HT N/M (OUTTER LOCK TY.)	MAGIC - MC1028	22X55	22	5.75"			<b>MFY1506A</b>	690

38	TATA SUPER ACE	JEEP - MC1018	27X82	22	6.25"			MFY1506AA	1030
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TEETH	OEM REF.	MOOVEL P.NO.	M.R.P Rs.

**FULL SLEEVE YOKE (MFY)**

39	AMBASSADOR	AMB. - MC1019	23.83X61.4	16	5.25"	MRT1807		MFY1806	530
40	TATA 407 TURBO (MSL TYPE - DCM CROSS)	DCM - MC1029	30.17X92	16	7"	MRT406MC		MFY405A	1020
41	TATA 407 PICK-UP	JCB 3D - MC1033	34.92X106	16	8"	MRT1407ABC, 1407AABC		MFY1406B	1575
42	MAH. MAXXIMO	JEEP - MC1018	27X82	19	7.25"			MFY2806	770
43	LEY. DOST	JEEP - MC1018	27X82	25	7"			MFY2906	815

**7. REAR TEETH (PLAIN & GLIDE COAT)**

S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.	
			INCH	mm						
1	TATA 407/1210 CONVERT	10	2.25"	56	8.75"	MFY106		MRT406A	1025	
2	TATA 1210 - 2.5"	10	2.5"	64	8.75"	MFY106	313 410 1908	MRT107	1025	
3	TATA SE - 3"	10	3"	68	8.75"	MFY113	312 411 1702	MRT114	1070	
4	AMBASSADOR	16	2"	52	5.5"	MFY1806		MRT1807	425	
5	TATA 407	16	2.25"	56	6.75"	MFY405		MRT406	640	
6	TATA 407 - GLIDE COAT	16	2.25"	56	6.75"	MFY405		MRT406C	860	
7	TATA 407 TURBO N/M (407 TELCO TY.)	16	2.25"	56	8.75"	MFY405	BRG. DIA = 35mm	BEARING NO: 6207/ 88507	MRT406TT	920
8	TATA 407 TURBO O/M/ 207 DI & FORCE (TOOFAN & CRUISER)	16	2.5"	62	8"	MFY405T	BRG DIA = 35mm, TEETH OD=34.90MM	BEARING NO: 6207/ 88507	MRT406T	825
9	TATA 407 TURBO O/M/ 207 DI & FORCE (TOOFAN & CRUISER) - GLIDE COAT	16	2.5"	62	8"	MFY405T	BRG DIA = 35mm	BEARING NO: 6207/ 88507	MRT406TC	1045
10	MAH. JEEP DIESEL - 6"	16	2.5"	62	6"	MFY907		MRT908	595	
11	MAH. JEEP DIESEL - 6" (GLIDE COAT)	16	2.5"	62	6"	MFY907		MRT908C	815	
12	MAH. JEEP DIESEL - 7"	16	2.5"	62	7"	MFY907		MRT908A	630	
13	MAH. JEEP DIESEL - 7" (GLIDE COAT)	16	2.5"	62	7"	MFY907		MRT908AC	850	
14	MAH. UTILITY, FC, NC, VOYAGER	16	2.5"	62	5.5"	MFY919 (TL=6"/ 156MM)		MRT920C	800	

15	TATA 709 TURBO - 22 SPL.	22	2.5"	64	10"	MFY106A	BRG DIA=50mm		MRT107A	1300
16	TATA 709 TURBO - 22 SPL., GLIDE COAT	22	2.5"	64	10"	MFY106A	BRG DIA=50mm		MRT107AC	1540
17	MAH. MAXI TRUCK	16	2.75"	66	5.85"	MFY916 (TL=6"/ 156MM)			MRT917C	865
S.NO	APPLICATION	UJC	CROSS SIZE		NO. OF SPLINES	TOTAL LENGTH	MATING TUBE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			CUP OD	LOCK						

**REAR TEETH (MRT)**

18	L/L 370/ TUSKER - 3", HALF SPL.	16	3"	72	7.75"	MFY706, 606		HALF TEETH - PLAIN	MRT607H	1025
19	L/L 370/ TUSKER - 3", FULL SPL.	16	3"	72	7.75"	MFY706, 606		FULL TEETH - PLAIN	MRT607	1025
20	L/L 370/ TUSKER - 3", HALF SPL. - COATED	16	3"	72	7.75"	MFY706, 606		HALF TEETH - COATED	MRT607HC	1320
21	L/L 370/ TUSKER - 3", FULL SPL., GLIDE COAT	16	3"	72	7.75"	MFY706, 606		FULL TEETH - COATED	MRT607FC	1320
22	TATA 407 TURBO EX/ 709/ 909 EX, 410, SFC 407 - GLIDE COAT	16	3"	72	9"	MFY1406, 706B	BRG. DIA = 40mm	BEARING NO: 88508/ 6208	MRT1407AC	1430
23	TATA CITY RIDE BUS, 709, 909 BSIII, 407 TURBO (MSL TY.)	16	3"	72	9"	MFY1406	BRG. DIA = 35mm	BEARING NO: 88507/ 6207	MRT1407AAC	1430
24	TATA 407 TURBO N/M, 410 EX, 412 (MSL TYPE) - GLIDE COAT	16	3"	72	8"	MFY405A	BRG. DIA = 35mm	BEARING NO: 88507/ 6207	MRT406MC	1185
25	MAH. MAX PICK-UP, BOLERO	16	3"	72	6.25"	MFY907, 405T			MRT914	645
26	MAH. MAX PICK-UP, BOLERO - 3", GLIDE COAT	16	3"	72	6.25"	MFY907, 405T			MRT914C	865
27	EICHER CANTER	16	3"	72	6.75"	MFY1406			MRT1407	690
28	EICHER CANTER - GLIDE COAT	16	3"	72	6.75"	MFY1406			MRT1407C	910
29	EICHER CANTER - LONG	16	3"	72	8.5"	MFY1406L			MRT1407L	790
30	TATA 407 (PICK UP) - 3" COATED	16	3"	72	7.5"	MFY1406, 1406B			MRT1407ABC	1100
31	JEEP - BOLERO N/M BRG TY	16	2.5"	60	8"	MFY916		TEETH OD=31.40MM	MRT406ATC/ 914AC	1210
32	TATA 1312	16	3.5"	84	11.5"	MFY207			MRT208	1650
33	TATA 1312 - GLIDE COAT	16	3.5"	84	11.5"	MFY207			MRT208C	2065
34	TATA 1312 - LONG	16	3.5"	84	13.5"	MFY1207			MRT1208	2000
35	TATA 1312 - LONG (COATED)	16	3.5"	84	13.5"	MFY1207			MRT1208C	2425
36	TATA & LEY. 3516 - MSL TY., 63 SLIP - SHORT	16	3.5"	84	9"	MFY1206A			MRT1209A	1650

S.NO	APPLICATION	UJC	CROSS SIZE		NO. OF SPLINES	TOTAL LENGTH	MATING TUBE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			CUP OD	LOCK						
37	TATA 1613 TURBO - MSL TY., 63 SLIP, GLIDE COAT	16	3.5"	84	9"	MFY1206A		MRT1209AC	2035	
38	L/L 370/ TUSKER - 3.5", HALF SPL.	16	3.5"	84	7.75"	MFY706, 606	HALF TEETH - PLAIN	MRT608H	1070	
39	L/L 370/ TUSKER - 3.5", FULL SPL.	16	3.5"	84	7.75"	MFY706, 606	FULL TEETH - PLAIN	MRT608	1070	
40	L/L 370/ TUSKER - 3.5", HALF SPL. - COATED	16	3.5"	84	7.75"	MFY706, 606	HALF TEETH - COATED	MRT608HC	1355	

**REAR TEETH (MRT)**

41	L/L 370/ TUSKER - 3.5", FULL SPL., GLIDE COAT	16	3.5"	84	7.75"	MFY706, 606	FULL TEETH - COATED	MRT608FC	1355
42	L/L TAURUS - T11 - HALF SPLINE	16	3.5"	84	8.5"	MFY805	HALF TEETH - PLAIN	MRT806H	1650
43	L/L TAURUS - T11 - FULL SPLINE	16	3.5"	84	8.5"	MFY805	FULL TEETH - PLAIN	MRT806	1650
44	L/L TAURUS - T11 - HALF SPLINE, GLIDE COAT	16	3.5"	84	8.5"	MFY805	HALF TEETH - COATED	MRT806HC	2035
45	L/L TAURUS - T11 - FULL SPLINE	16	3.5"	84	8.5"	MFY805	FULL TEETH - COATED	MRT806C	2035
46	L/L TAURUS - LONG, FULL SPL.	16	3.5"	84	11"	MFY816	FULL TEETH - PLAIN (LONG)	MRT817	1925
47	L/L 1613 TIPPER/ STAG BUS/ ECOMET (FULL TEETH - PLAIN)	16	3.5"	84	9.25"	MFY706A	4-40-1071	MRT608AF	1365
48	L/L 1613 TIPPER/ STAG BUS/ ECOMET - FULL TEETH - GLIDE COAT	16	3.5"	84	9.25"	MFY706A	4-40-1071	MRT608AFC	1705
49	L/L 1613 TIPPER/ STAG BUS/ ECOMET (HALF TEETH - PLAIN)	16	3.5"	84	9.25"	MFY706A	4-40-1071	MRT608AH	1365
50	L/L 1613 TIPPER/ STAG BUS/ ECOMET (HALF TEETH - COATED)	16	3.5"	84	9.25"	MFY706A	4-40-1071	MRT608AHC	1705
51	HINO BUS/ ECOMET BUS - SPICER TY., FULL SPL. - PLAIN	16	3.5"	84	10"	MFY706AA	4-40-721	MRT608AAF	1410
52	HINO BUS/ ECOMET BUS - SPICER TY., FULL SPL., GLIDE COAT	16	3.5"	84	10"	MFY706AA	4-40-721	MRT608A AFC	1740
53	HINO BUS/ ECOMET BUS - SPICER TY., HALF SPL., PLAIN	16	3.5"	84	10"	MFY706AA	4-40-721	MRT608AAH	1410
54	HINO BUS/ ECOMET BUS - SPICER TY., HALF SPL., GLIDE COAT	16	3.5"	84	10"	MFY706AA	4-40-721	MRT608AAHC	1740

S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			INCH	mm					
55	TATA 407 (PICK UP) - 3.5" COATED	16	3.5"	84	7.5"	MFY1406, 1406B		MRT1407AABC	1330
56	TATA & LEY. 2515 EX (110 SLIP) - 3.5" LONG	16	3.5"	84	11.5"	MFY1306A, 1306AF		MRT1307AS	1680
57	TATA & LEY. 2515 EX (110 SLIP) - 3.5" LONG - COATED	16	3.5"	84	11.5"	MFY1306A, 1306AF		MRT1307ASC	2065
58	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - MSL TY., HALF SPLINE	16	4"	95	10.5"	MFY1306A, 1306A(F)	5016042	MRT1307A	1705

**REAR TEETH (MRT)**

59	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - MSL TY., HALF SPLINE, GLIDE COAT	16	4"	95	10.5"	MFY1306A, 1306A(F)	5016042	MRT1307AC	2090	
60	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - MSL TY., FULL SPLINE	16	4"	95	10.5"	MFY1306A, 1306A(F)	5016042	MRT1307AA	1735	
61	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - MSL TY., FULL SPLINE, GLIDE COAT	16	4"	95	10.5"	MFY1306A, 1306A(F)	5016042	MRT1307AAC	2145	
62	L/L TRAILOR - MSL., 63 SLIP, HALF SPL.	16	4"	95	9"	MFY1206A		MRT1210A	1680	
63	L/L TRAILOR - MSL., 63 SLIP, HALF SPL., GLIDE COAT	16	4"	95	9"	MFY1206A		MRT1210AC	2090	
64	TATA 4018 - SMALL, PLAIN	16	4"	95	10.25"	MFY1606	6-40-541	MRT1607	2530	
65	TATA 4018 - SMALL, GLIDE COAT	16	4"	95	10.25"	MFY1606	6-40-541	MRT1607C	2860	
66	TATA 3118/ 4018 - LONG - PLAIN	16	4"	95	11.75"	MFY1906	6-40-521	MRT1232	2775	
67	TATA 3118/ 4018 - LONG, GLIDE COAT	16	4"	95	11.75"	MFY1906	6-40-521	MRT1232C	3200	
68	TATA & LEY. 3116, 2516, AMW, EICHER 30.25 (INTERAXLE - 1710 SERIES)	16	4"	95	11.75"	MFY1241, 1236	W/ OIL SEAL	INSKU 100650/ 100655	MRT1232MC	3400
69	TATA & LEY. 3116, 2516, AMW, EICHER 30.25 (INTERAXLE - 1710 SERIES) W/ DUST COVER & SEAL	16	4"	95	11.75"	MFY1241, 1236	W/ DUST COVER & SEAL	INSKU 100650/ 100655	MRT1232MCP	4000
70	LEY. 3116, 2516 BSIII (MSL DESIGN)	16	4"	95	13"	MFY1241AA		MRT1232AMC	3725	

S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.	
			INCH	mm						
71	TATA 1109 BSIII, 909, MARCOPOLO BUS (22S, 2.5")	22	2.5"	64	10"	MFY106A	BRG. DIA=50MM	MRT107A	1300	
72	TATA 1109 BSIII, 909, MARCOPOLO BUS (22S, 2.5") - COATED	22	2.5"	64	10"	MFY106A		MRT107AC	1540	
73	LEY.2516, 1616, VIKING 222, EICHER 33.25 (22S, 3.5") - CAOTED	22	3.5"	84	8.5"	MFY706D		MRT608DC	1400	
74	LEY.2516, 1616, VIKING 222, EICHER 33.25 (22S, 3.5") - CAOTED (BRG. TY.)	22	3.5"	84	10.5"	MFY706D	BRG DIA = 40mm	BRG. NO.: 88508/ 6208	MRT608DC	1550
75	TATA 1312 - 24 SPL.	24	3.5"	84	11.5"	MFY207A		MRT208A	1705	

**REAR TEETH (MRT)**

76	TATA 1312 - 24SPL., GLIDE COAT	24	3.5"	84	11.5"	MFY207A		MRT208AC	2145	
77	TATA 1109 EX BSIII - 3.5", GLIDE COAT	27	3.5"	84	11"	MFY2306	BRG DIA = 45mm	BRG. NO.: 88509/ 6209	MPRT2307C	1750
78	EICHER JUMBO - 28 SPL	28	3.5"	84	10.75"	MFY1213		MRT1708	1760	
79	EICHER JUMBO - 28 SPL., GLIDE COAT	28	3.5"	84	11.5"	MFY1213		MRT1708C	2145	
80	TATA 1613 TURBO - SPICER TY., 63 SLIP	30	3.5"	84	9"	MFY1206	INSKU 100433	MRT1209	1650	
81	TATA 1613 TURBO - SPICER TY., 63 SLIP, GLIDE COAT	30	3.5"	84	9"	MFY1206	INSKU 100433	MRT1209C	2035	
82	TATA 2515 EX (110 SLIP) - LONG 30S 3.5"	30	3.5"	84	11.5"	MFY1306, 1306F		MRT1307S	1680	
83	TATA 2515 EX (110 SLIP) - LONG 30S 3.5" - COATED	30	3.5"	84	11.5"	MFY1306, 1306F		MRT1307SC	2060	
84	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - SPICER TY.	30	4"	95	11.5"	MFY1305, 1305 (F)	INSKU 100276	MRT1307	1705	
85	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - SPICER TY., GLIDE COAT	30	4"	95	11.5"	MFY1306, 1306 (F)	INSKU 100276	MRT1307C	2090	
86	L/L TRAILOR - SPICER TY., 63 SLIP, HALF SPL.	30	4"	95	9"	MP1206		MRT1210	1680	



87	L/L TRAILOR - SPICER TY., 63 SLIP, HALF SPL., GLIDE COAT	30	4"	95	9"	MP1206		MRT1210C	2065
88	FORK TEETH (4X4 AXLE)	16			9.5"	UJC - JEEP DIESEL - MC1018	UJC - JEEP DIESEL - 27X81.80MM	MRY4041	1750

### 8. FORK TEETH/ REVERSE YOKE/ GODHI (RSB 390, 403, 425 & SPICER SPR2040 SERIES - LONG & SHORT) - (MRY)

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TUBE/ R. YOKE	O.E. P. NO.	MOOVEL P.NO.	M.R.P Rs.
1	FORK TEETH ONLY - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO (SMALL)	RSB 325 - MC1030	42X119.8	20	12.5"	MP1325 - 3.5", 1326 - 4"	F570 325 055 317/ 2632 4112 5103	MRY1316T	2900
2	FORK TEETH W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO (SMALL)	RSB 325 - MC1030	42X119.8	20	12.5"	MP1325 - 3.5", 1326 - 4"	F570 325 055 317/ 2632 4112 5103	MRY1316TP	3400
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TUBE/ R. YOKE	O.E. P. NO.	MOOVEL P.NO.	M.R.P Rs.

#### FORK TEETH/ REVERSE YOKE (MRY)

3	FORK TEETH ONLY - RSB 403 SERIES, TATA 2516 - (SHORT)	RSB 403 - MC1026	42X129.4	20	13"	MP1325 - 3.5", 1326 - 4"	F570 403 055 296/ 2171 4112 5107	MRY1317T	2900
4	FORK TEETH W/ D. COVER & SEAL - RSB 403, TATA 2516 - SHORT	RSB 403 - MC1026	42X129.4	20	13"	MP1325 - 3.5", 1326 - 4"	F570 403 055 296/ 2171 4112 5107	MRY1317TP	3400
5	FORK TEETH ONLY - RSB 403 SERIES, TATA 2516 - LONG	RSB 403 - MC1026	42X129.4	20	14.5"	MP1326A - 4"		MRY1317AT	3525
6	FORK TEETH W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - LONG	RSB 403 - MC1026	42X129.4	20	14.5"	MP1326A - 4"		MRY1317ATP	4075
7	FORK TEETH ONLY - RSB 403 SERIES, TATA 2516 - EXTRA LONG	RSB 403 - MC1026	42X129.4	20	16"	MP1326AB		MRY1317ABT	3850
8	FORK TEETH W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - EXTRA LONG	RSB 403 - MC1026	42X129.4	20	16"	MP1326AB		MRY1317ABTP	4400
9	FORK TEETH ONLY - RSB 490 SERIES, TATA 4018 - SHORT	RSB 490 - MC1031	48X135	30	13"	MP1327A - 4"	F570 490 066 298/ 2167 4112 5103	MRY1320AT	3225
10	FORK TEETH W/ D. COVER & SEAL - RSB 490 SERIES, TATA 4018 - SHORT	RSB 490 - MC1031	48X135	30	13"	MP1327A - 4"	F570 490 066 298/ 2167 4112 5103	MRY1320ATP	3825
11	FORK TEETH ONLY - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB 490 - MC1031	48X135	30	14.5"	MP1327 - 4"	F571 490 062 373	MRY1320T	3550

12	FORK TEETH W/ D. COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB 490 - MC1031	48X135	30	14.5"	MP1327 - 4"	F571 490 062 373	MRY1320TP	4150
13	FORK TEETH ONLY - RSB 490, TATA 4018/ 3116 & LEY. 3116 - EXTRA LONG	RSB 490 - MC1031	48X135	30	16"	MP1327AA		MRY1320AAT	4200
14	FORK TEETH W/ D.COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - EXTRA LONG	RSB 490 - MC1031	48X135	30	16"	MP1327AA	W/ D. COVER & SEAL	MRY1320AATP	4850
15	FORK TEETH W/ D.COVER & SEAL - RSB 585 SERIES - 30S	RSB 585 - MC1040	48X154	30	14.75"	MST1327B/ 1327BC - 4"	W/ D. COVER & SEAL	MRY1320BTP	4725
16	FORK TEETH W/ D. COVER & SEAL - SPR2040 SERIES - SHORT T	SPR2040 - MC1015U	47.65X135	34	12.75"	MP2627A - 3.75"	W/ D. COVER & SEAL	MRY2620ATP	4250
17	FORK TEETH W/ D. COVER & SEAL - SPR2040, TATA PRIMA/ LEY. U-TRUCK - LONG	SPR2040 - MC1015U	47.65X135	34	14.75"	MP2627 - 3.75"	W/ D. COVER & SEAL	MRY2620TP	4550
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TUBE/ R. YOKE	O.E. P. NO.	MOOVEL P.NO.	M.R.P Rs.

**FORK TEETH/ REVERSE YOKE (MRY)**

18	FORK TEETH W/ D. COVER & SEAL - SPR2040, TATA PRIMA/ LEY. U-TRUCK - EXTRA LONG	SPR2040 - MC1015U	47.65X135	34	16"	MST2627 - 3.75"	W/ D. COVER & SEAL	MRY2620AATP	5225
19	FORK TEETH W/ D.COVER & SEAL - TATA LPT 3723 - SHORT 4.5" PIPE	RSB 590 - MC1038	52X147	36	14.75"	MST2727A/ 2727AC - 4.5"	W/ D. COVER & SEAL	MRY2720ATP	7325
20	FORK TEETH W/ D.COVER & SEAL - TATA LPT 3723 - LONG	RSB 590 - MC1038	52X147	36	15.75"	MST2727/ 2727C - 4.5"	W/ D. COVER & SEAL	MRY2720TP	7625
21	FORK TEETH W/ D.COVER & SEAL - TATA LPK 2523, LPK 2518 - 36S	RSB 620 - MC1036	57X152	36	14.5"	MST3320/ 3320C - 4.5"	W/ D. COVER & SEAL	MRY3320TP	7525
22	FORK TEETH W/ D. COVER & SEAL - SPR2045, TATA LPK 2521, LEY.3123, LPS 4923, BHARAT BENZ 3128 - SHORT	SPR2045 - MC1038	52X147	38	12.25"	MST2827C - 4.5"	W/ D. COVER & SEAL	MRY2820ATP	6050

23	FORK TEETH W/ D. COVER & SEAL - SPR2045, TATA LPK 2521, LEY.3123, LPS 4923, BHARAT BENZ 3128 - LONG	SPR2045 - MC1038	52X147	38	15.5"	MST2827/2827C - 4"	W/ D. COVER & SEAL	MRY2820TP	7875
24	FORK TEETH W/ D. COVER & SEAL - SPR2040, TATA LPK 2528, LEY. 4936, BHARAT BENZ 4436 - SHORT	SPR2040 - MC1036	57X152	38	13.25"	MST2927/2927C - 4.5"	W/ D. COVER & SEAL	MRY2920TP	6925

### 9. SLIDING TUBE/ BOTTLE/ GLASSY (RSB 390, 403, 425 & SPICER SPR2040 SERIES - LONG & SHORT) - (MST)

S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			INCH	mm					
1	RSB 325 SERIES - TATA 2515 EX/ 2518/ 1613 TURBO	20	3.5"	84	6.75"	MRY1316T, 1316TP, 1317T, 1317TP	F540 325 084 180/2632 4112 5109	MST1325	1800
2	RSB 403 SERIES - TATA 2516 - SHORT	20	4"	95	6.75"	MRY1316T, 1316TP, 1317T, 1317TP	F541 403 094 180/2171 4112 5106	MST1326	1920
3	RSB 403 SERIES - INTER-AXLE TATA 2516 - MEDIUM	20	4"	95	9"	MRY1317AT, 1317ATP	F556 403 064 220/2167 4112 5108	MST1326A	2400

S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			INCH	mm					

#### SLIDING TUBE/ BOTTLE (MST)

4	RSB 403 SERIES - INTER-AXLE TATA 2516 - LONG	20	4"	95	10.25"	MRY1317ABT, 1317ABTP		MST1326AB	2660
5	RSB 403 SERIES - WELD TYPE S. TUBE - INTER-AXLE TATA 2518 LPK - BOGGIE SUSPENSION - LONG	20	4"	95	9"	MRY1317ATP, 1317AT		MST1326AW	2600
6	RSB 490 SERIES - TATA 4018 - SHORT	30	4"	95	8"	MRY1320AT, 1320ATP		MST1327A	2580
7	RSB 490 - TATA 4018/ 3118 & LEY. 3116 - LONG	30	4"	95	9.5"	MRY1320T, 1320TP	F550 490 062 373	MST1327	2980
8	RSB 490 - TATA 4018/ 3118 & LEY. 3116 - EXTRA LONG	30	4"	95	10.5"	MRY1320AAT, 1320AATP		MST1327AA	3280
9	RSB 585 - LONG	30	4"	95	9.5"	MRY1320BTP - 30S TL14.75"		MST1327B	2980
10	SPR2040 SERIES - TATA PRIMA/ LEY. U-TRUCK - SHORT	34	3.75"	91	7.5"	MRY2620ATP - 34S TL12.75"		MST2627A	3080
11	SPR2040 - TATA PRIMA/ LEY. U-TRUCK - LONG	34	3.75"	91	9.5"	MRY2620TP - 34S TL14.75"		MST2627	3140

12	SPR2040 - TATA PRIMA/ LEY. U-TRUCK - EXTRA LONG	34	3.75"	91	10.5"	MP2620AATP - 34S TL16"		MST2627AA	3480
13	SPR2040 - WELD TY. S. TUBE - INTERAXLE TATA LPK 2523, 3128, LEY. U- TRUCK 2523- EXTRA LONG	34	3.75"	91	10.5"	MRY2620TP - 34S TL14.75"	DIRECT HALF YOKE WELD TYPE	MST2627BW	3620
14	RSB 590 - TATA LPT 3723 - SHORT - 4.5" PIPE	36	4.5"	114	8"	MRY2720ATP - 36S TL14.75"		MST2727A	3980
15	RSB 590 - TATA LPT 2523 (6X4), LPK 3118, LPK 2521 - LONG - 4.5" PIPE	36	4.5"	114	9.5"	MRY2720TP - 36S TL15.75"		MST2727	4600
16	RSB 620 - TATA LPK 2523, LPK 2518 - 4.5" PIPE	36	4.5"	114	8"	MRY3320TP - 36S TL13"		MST3320	3980
17	TATA 2521, LEY. 3123, LPS 4923, BHARAT BENZ 3128 - SHORT	38	4.5"	114	8"	MRY2820ATP - 38S TL12.25"		MST2827A	4540
18	TATA LPK 3118, LPK 2528, LPT 3721, 3723, BHARAT BENZ 2523 - LONG	38	4"	100	11"	MRY2820TP - 38S TL15.5"		MST2827	5320
19	TATA LPK 3118, LPK 2528, LPT 3721, 3723, BHARAT BENZ 2523 - LONG (HALF YOKE WELD TY.	38	4"	100	10"	MRY2820TP - 38S TL15.5"	HALF YOKE WELD TYPE	MST2827W	5240
20	TATA LPK 2528, LEY. 4936, BHARAT BENZ 4436 - SHORT	38	4.5"	114	8.5"	MRY2920TP - 38S TL13.25"		MST2927	4580

### 10. SLIDING TUBE/ BOTTLE/ GLASSY (RSB 390, 403, 425 & SPICER SPR2040 SERIES - LONG & SHORT) - GLIDE COAT - (MST - COATED)

S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			INCH	mm					
1	RSB 325 SERIES - TATA 2515 EX/ 2518/ 1613 TURBO - GLIDE COAT	20	3.5"	90	7"	MP1316T, 1316TP, 1317T, 1317TP	F540 325 084 180/ 2632 4112 5109	MST1325C	2300
2	RSB 403 SERIES - TATA 2516 - SHORT - GLIDE COAT	20	4"	100	7"	MP1316T, 1316TP, 1317T, 1317TP	F541 403 094 180/ 2171 4112 5106	MST1326C	2420
3	RSB 403 SERIES - INTER- AXLE TATA 2516 - MEDIUM - GLIDE COAT	20	4"	100	9.25"	MP1317AT, 1317ATP	F556 403 064 220/ 2167 4112 5108	MST1326AC	3050
4	RSB 403 - 42X129 - TATA LPK 2518, BOGIE SUSPENSION (INTERAXLE) - 20S - DIRECT HALF YOKE WELD TY - 4" PIPE	20	4"	95	9"	MRY1317ATP		MST1326AWC	3350

5	RSB 403 SERIES - INTER-AXLE TATA 2516 - MEDIUM - GLIDE COAT	20	4"	100	10"	MP1317ABT, 1317ABTP		MST1326ABC	3310
6	RSB 490 SERIES - TATA 4018 - SHORT - GLIDE COAT	30	4"	100	8"	MP1320AT, 1320ATP		MST1327AC	3330
7	RSB 490 - TATA 4018/ 3118 & LEY. 3116 - MEDIUM - GLIDE COAT	30	4"	100	9"	MP1320T, 1320TP	F550 490 062 373	MST1327C	3880
8	RSB 490 - TATA 4018/ 3118 & LEY. 3116 - LONG - GLIDE COAT	30	4"	100	10.5"	MP1320AAT, 1320AATP		MST1327AAC	4180
9	RSB 585 - 48X154 - 30S - 4" PIPE	30	4"	95	9.5"	MRY1320BTP		MST1327BC	3880
10	SPR2040 SERIES - TATA PRIMA/ LEY. U-TRUCK - SHORT	34	4"	100	8.5"	MP2620ATP		MST2627AC	3830
11	SPR2040 - TATA PRIMA/ LEY. U-TRUCK - MEDIUM	34	4"	100	9.5"	MP2620TP		MST2627C	4040
12	RSB 590 - 52X147 - LPT 3723 - 36S - SHORT 4.5" PIPE	36	4"	95	9"	MRY2720ATP		MST2727AC	4880
13	RSB 590 - 52X147 - LPT 2523 (6X4), LPK 3118, LPK 2521, LPK 2523 - 36S - LONG 4.5" PIPE	36	4.5"	114	9.5"	MRY2720TP		MST2727C	5500
S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			INCH	mm					
<b>SLIDING TUBE / BOTTLE - GLIDE COATE (MST - COATED)</b>									
14	RSB 620 - 57X152 - LPK 2523, LPK 2518 - 36S - 4.5" PIPE	36	4.5"	114	8"	MRY3320TP		MST3320C	4780
15	SPR 2040 - INTERAXLE TATA LPK 2523, 3128, LEY. U-YRUCK 2523 - EXTRA LONG - 3.75" PIPE	34	3.75"	91	10.5"	MRY2620AATP		MST2627AAC	4380
16	SPR 2040 - INTERAXLE TATA LPK 2523, 3128, LEY. U-YRUCK 2523 - EXTRA LONG - DIRECT HALF YOKE WELD TY. - 3.75" PIPE	34	3.75"	91	10.5"	MRY2620TP		MST2627BWC	4520

17	SPR 2045 (52X147) - LPK 2521, LEY. 3123, LPS 4923, BHARAT BENZ 3128 - SHORT - 4.5" PIPE	38	4.5"	114	8"	MRY2820ATP		MST2827AC	5340
18	SPR 2045 - 52X147 - LPK 3118, LPK 2528, LPT 3721, 3723, BHARAT BENZ 2523 - 38S - LONG 4" PIPE	38	4"	100	11"	MRY2820TP		MST2827C	6320
19	SPR 2045 - 52X147 - INTERAXLE LPK 3118, LPK 2528, LPT 3721, 3723, BHARAT BENZ 2523 - DIRECT HALF YOKE WELD TY. - 38S - LONG 4" PIPE	38	4"	100	10"	MRY2820TP		MST2827WC	6140
20	SPR 2055 - 57X152 - LPK 2528, LEY. 4936, BHARAT BENZ 4436 - 38S - SHART 4.5" PIPE	38	4.5"	114	8.5"	MRY2920TP		MST2927C	5480
21	SPR 2060 - 59X167 - TATA LPT 5252, 3138, 2138, VOLVO -							MST3027C	

### 11. DUST COVER & SEAL (RSB & SPICER FORK TEETH/ REVERSE YOKE / GODHI) - (MDCS)

S.NO	APPLICATION		MATING YOKE		MOOVEL P.NO.	M.R.P Rs.
1	RSB 325 & 403 SERIES - SHORT		MP1316T, 1317T		MDCS1328	500
2	RSB 403 SERIES - LONG		MP1317AT		MDCS1328A	550
3	RSB 490 SERIES - SHORT & MEDIUM		MP1320AT, 1320T		MDCS1329	600
4	RSB 490 SERIES - LONG		MP1320AAT, 1320AAT		MDCS1329A	650

### 12. FORK TEETH & SLIDING TUBE SET (RSB 390, 403, 425 & SPICER SPR2040 SERIES - SHORT & LONG) - (MRYST)

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	M.R.P Rs.
				TEETH	TUBE					
1	FORK TEETH & S. TUBE - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 3.5" PIPE	RSB 325 - MC1030	42X119.8	12.75"	6.75"	20	MST1325 - 3.5"	NO	MRYST1316	4700
2	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 3.5" PIPE	RSB 325 - MC1030	42X119.8	12.75"	6.75"	20	MST1325 - 3.5"	YES	MRYST1316P	5200

3	FORK TEETH & S. TUBE - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 4" PIPE	RSB 325 - MC1030	42X119.8	12.75"	6.75"	20	MST1326 - 4"	NO	MRYST1316A	4820
4	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 4" PIPE	RSB 325 - MC1030	42X119.8	12.75"	6.75"	20	MST1326 - 4"	YES	MRYST1316AP	5320
5	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	6.75"	20	MST1326 - 4"	NO	MRYST1317	4820
6	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	6.75"	20	MST1326 - 4"	YES	MRYST1317P	5320
7	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 1613 TURBO BSIII, 1616 BSIII - 3.5" PIPE	RSB 403 - MC1026	42X129.4	13"	6.75"	20	MST1325 - 3.5"	NO	MRYST1317AA	4700
8	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 1613 TURBO BSIII, 1616 BSIII - 3.5" PIPE	RSB 403 - MC1026	42X129.4	13"	6.75"	20	MST1325 - 3.5"	NO	MRYST1317AAP	5200
9	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - LONG	RSB 403 - MC1026	42X129.4	15"	9.25"	20	MST1326A - 4"	NO	MRYST1317A	5925
10	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - LONG	RSB 403 - MC1026	42X129.4	15"	9.25"	20	MST1326A - 4"	YES	MRYST1317AP	6475
11	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - EXTRA LONG	RSB 403 - MC1026	42X129.4	16"	10.25"	20	MST1326AB - 4"	NO	MRYST1317AB	6510
S.NO.	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	M.R.P Rs.
				TEETH	TUBE					

**FORK TEETH/ REVERSE YOKE & SLIDING TUBE SET (MRYST)**

12	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - EXTRA LONG	RSB 403 - MC1026	42X129.4	16"	10.25"	20	MST1326AB - 4"	NO	MRYST1317ABP	7160
13	FORK TEETH & TUBE - WELD TYPE - TATA 2518 LPK (BOGIE SUSPENSION - INTERAXLE) - 4" PIPE	RSB 403 - MC1026	42X129.4	14.5"	9"	20	MST1326AW - 4" (DIRECT HALF YOKE WELD TYPE)	NO	MRYST1317AW	6125

14	FORK TEETH & TUBE W/ D.COVER & SEAL _ WELD TYPR- TATA 2518 LPK (BOGIE SUSPENSION - INTERAXLE) - 4" PIPE	RSB 403 - MC1026	42X129.4	14.5"	9"	20	MST1326AW - 4" (DIRECT HALF YOKE WELD TYPE)	YES	MRYST1317AWP	6675
15	FORK TEETH & S. TUBE - RSB 490 SERIES, TATA 4018 - SHORT	RSB 490 - MC1031	48X135	13"	8"	30	MST1327A - 4"	NO	MRYST1320A	5805
16	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490 SERIES, TATA 4018 - SHORT	RSB 490 - MC1031	48X135	13"	8"	30	MST1327A - 4"	YES	MRYST1320AP	6405
17	FORK TEETH & S. TUBE - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB 490 - MC1031	48X135	14.5"	9.5"	30	MST1327 - 4"	NO	MRYST1320	6530
18	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB 490 - MC1031	48X135	14.5"	9.5"	30	MST1327 - 4"	YES	MRYST1320P	7130
19	FORK TEETH & S. TUBE - RSB 490, TATA 4018/ 3116 & LEY. 3116 - EXTRA LONG	RSB 490 - MC1031	48X135	16"	10.5"	30	MST1327AA - 4"	NO	MRYST1320AA	7480
20	FORK TEETH & S. TUBE W/ D.COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - EXTRA LONG	RSB 490 - MC1031	48X135	16"	10.5"	30	MST1327AA - 4"	YES	MRYST1320AAP	8130
21	FORK TEETH & S.TUBE W/D.COVER & SEAL - RSB 585 SERIES - 4" PIPE	RSB 585 - MC1040	48X154	14.75"	9.5"	30	MST1327B/ 1327BC - 4"	YES	MRYST1320BP	7705
22	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPR2040 SERIES, TATA PRIMA/ LEY. U-TRUCK - SHORT	SPR 2040 - MC1015U T	47.65X135	12.75"	7.5"	34	MST2627A/ 2627AC - 3.75"	YES	MRYST2620AP	7330
S.NO.	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	M.R.P Rs.
				TEETH	TUBE					

**FORK TEETH/ REVERSE YOKE & SLIDING TUBE SET (MRYST)**

23	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPR2040, TATA LPS 4928, 3138, LPK 2528, LEY. 3119, BHARAT BENZ 2523, 3128, 4928 - LONG - 3.75" PIPE	SPR 2040 - MC1015U T	47.65X135	14.75"	9.5"	34	MST2627 - 3.75"	YES	MRYST2620P	7690
----	--	-------------------------------	-----------	--------	------	----	--------------------	-----	------------	------



24	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPR2040, INTERAXLE TATA LPK 2523, 3128, LEY. U-TRUCK 2523 - EXTRA LONG - 3.75" PIPE	SPR 2040 - MC1015UT	47.65X135	16"	10.5"	34	MST2627AA - 3.75"	YES	MRYST2620AAP	8705
25	FORK TEETH & S.TUBE W/ D. COVER & SEAL - WELD TYPE - TATA LPS 4021, 5252, 1625, 1623, LEY. 3518, MAH. NAVISTAR 4026, 49TR - SHORT - 4.5" PIPE	SPR 2040 - MC1015UT	47.65X135	12.75"	7.5"	34	MST2627B - 4.5"	YES	MRYST2620BP	
26	FORK TEETH & S. TUBE W/ D. COVER & SEAL - HALF YOKE WELD TY. -SPR2040, INTERAXLE TATA LPK 2523, 3128, LEY. U-TRUCK 2523 - EXTRA LONG - 3.75" PIPE	SPR 2040 - MC1015UT	47.65X135	14.75"	10.5"	34	MST2627BW - 3.75"	YES/ DIRECT HALF YOKE WELD TYPE	MRYST2620WP	
27	FORK TEETH & S. TUBE W/ D. COVER & SEAL - TATA LPT 3723 - SHORT - 4.5" PIPE	RSB 590 - MC1038	52X147	14.75"	8"	36	MST2727A/ 2727AC - 4.5"	YES	MRYST2720AP	11305
28	FORK TEETH & S. TUBE W/ D. COVER & SEAL - TATA LPT 2523(6X4), LPK 3116, LPK 2521 - LONG - 4.5" PIPE	RSB 590 - MC1038	52X147	15.75"	9.5"	36	MST2727/ 2727C - 4.5"	YES	MRYST2720P	12225
29	FORK TEETH & S.TUBE W/ D.COEVR & SEAL - TATA LPK 2523, LPK 2518 - 4.5" PIPE	RSB 620 - MC1036	57X152	14.5"	8"	36	MST3320/ 3320C - 4.5"	YES	MRYST3320P	11505
30	FORK TEEH & S.TUBE W/ D.COEVR & SEAL - LPK 2521, LEY. 3123, LPS 4933, BHARAT BENZ 3128 - SHORT - 4.5" PIPE	SPR 2047 - MC1038	52X147	12.25"	8"	38	MST2827A - 4.5"	YES	MRYST2820AP	10590
31	FORK TEEH & S.TUBE W/ D.COEVR & SEAL - LPK 3118, LPK 2528, LPT 3721, 3723, BHARAT BENZ 2523 - LONG - 4" PIPE	SPR 2047 - MC1038	52X147	15.5"	11"	38	MST2827 - 4"	YES	MRYST2820P	13195
S.NO.	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	M.R.P Rs.
				TEETH	TUBE					

**FORK TEETH/ REVERSE YOKE & SLIDING TUBE SET (MRYST)**

32	FORK TEEH & S.TUBE W/ D.COEVR & SEAL - LPK 2528, LEY. 4936, BHARAT BENZ 4436 - SHORT - 4.5" PIPE	SPR 2040 - MC1036	57X152	13.25"	8.5"	38	MST2927 - 4.5"	YES	MRYST2920P	11505
----	--	-------------------	--------	--------	------	----	----------------	-----	------------	-------

33	FORK TEETH & S.TUBE W/ D.COEVR & SEAL - WELD TYPE -LPK 3118, LPK 2528, LPT 3721, 3723, BHARAT BENZ 2523 - LONG - 4" PIPE	SPR 2047 - MC1038	52X147	15.5"	10"	38	MST2827W - 4" (DIRECT HALF YOKE WELD TYPE)	YES	MRYST2820PW	13115
----	---	----------------------	--------	-------	-----	----	---	-----	-------------	-------

### 13. FORK TEETH & SLIDING TUBE SET (RSB 390, 403, 425 & SPICER SPR2040 SERIES - SHORT & LONG) - GLIDE COAT - (MRYST - COATED)

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	M.R.P Rs.
				TEETH	TUBE					
1	FORK TEETH & S. TUBE - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 3.5" PIPE	RSB - MC1030	42X119.8	12.5"	7"	20	MST1325C - 3.5"	NO	MRYST1316C	5300
2	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 3.5" PIPE	RSB - MC1030	42X119.8	12.5"	7"	20	MST1325C - 3.5"	YES	MRYST1316PC	5800
3	FORK TEETH & S. TUBE - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 4" PIPE	RSB - MC1030	42X119.8	12.5"	7"	20	MST1326C - 4"	NO	MRYST1316AC	5420
4	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 4" PIPE	RSB - MC1030	42X119.8	12.5"	7"	20	MST1326C - 4"	YES	MRYST1316APC	5920
5	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	7"	20	MST1325C - 3.5"	NO	MRYST1317AAC	5300
6	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	7"	20	MST1325C - 3.5"	YES	MRYST1317AAPC	5800
7	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	7"	20	MST1326C - 4"	NO	MRYST1317C	5420
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	M.R.P Rs.
				TEETH	TUBE					

### FORK TEETH/ REVERSE YOKE & SLIDING TUBE SET - GLIDE COAT (MRYST - COATED)

8	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	7"	20	MST1326C - 4"	YES	MRYST1317PC	5920
9	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - LONG	RSB - MC1026	42X129.4	14.5"	9"	20	MST1326AC - 4"	NO	MRYST1317AC	6575
10	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - LONG	RSB - MC1026	42X129.4	14.5"	9"	20	MST1326AC - 4"	YES	MRYST1317APC	7125
11	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - EXTRA LONG	RSB - MC1026	42X129.4	16"	10.25"	20	MST1326ABC - 4"	NO	MRYST1317ABC	7260
12	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - EXTRA LONG	RSB - MC1026	42X129.4	16"	10.25"	20	MST1326ABC - 4"	YES	MRYST1317ABPC	7810
13	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - LONG - DIRECT HALF YOKE WELD TY.	RSB - MC1026	42X129.4	14.5"	9"	20	MST1326AWC - 4"	NO	MRYST1317AWC	6775
14	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - LONG - DIRECT HALF YOKE WELD TY	RSB - MC1026	42X129.4	14.5"	9"	20	MST1326AWC - 4"	YES	MRYST1317AWPC	7325
15	FORK TEETH 7 S. TUBE - RSB 490 SERIES, TATA 4018 - SHORT	RSB - MC1031	48X135	13"	8"	30	MST1327AC - 4"	NO	MRYST1320AC	6555
16	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490 SERIES, TATA 4018 - SHORT	RSB - MC1031	48X135	13"	8"	30	MST1327AC - 4"	YES	MRYST1320APC	7155
17	FORK TEETH & S. TUBE - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1031	48X135	14.5"	9.5"	30	MST1327C - 4"	NO	MRYST1320C	7330
18	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1031	48X135	14.5"	9.5"	30	MST1327C - 4"	YES	MRYST1320PC	7930
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	M.R.P Rs.
				TEETH	TUBE					

FORK TEETH/ REVERSE YOKE & SLIDING TUBE SET - GLIDE COAT (MRYST - COATED)										
19	FORK TEETH & S. TUBE - RSB 490, TATA 4018/ 3116 & LEY. 3116 - EXTRA LONG	RSB - MC1031	48X135	16"	10.5"	30	MST1327AAC - 4"	NO	MRYST1320AAC	8280
20	FORK TEETH & S. TUBE W/ D.COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - EXTRA LONG	RSB - MC1031	48X135	16"	10.5"	30	MST1327AAC - 4"	YES	MRYST1320AAPC	8930
21	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 585, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1040	48X154	14.5"	9.5"	30	MST1327C - 4"	YES	MRYST1320BPC	8505
22	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPICER SPR2040 SERIES, TATA PRIMA/ LEY. U-TRUCK - SHORT	L/L TAURUS - MC1015UT	47.64X135	12.75"	7.5"	34	MST2627A - 3.75"	YES	MRYST2620APC	8130
23	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPICER SPR2040, TATA PRIMA/ LEY. U-TRUCK - LONG	L/L TAURUS - MC1015UT	47.64X135	14.75"	9.5"	34	MST2627C - 3.75"	YES	MRYST2620PC	8490
24	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPICER SPR2040, INTERAXLE TATA LPK 2523, 3128, LEY. U-TRUCK 2523 - EXTRA LONG - 3.75" PIPE	L/L TAURUS - MC1015UT	47.64X135	16"	10.5"	34	MST2627AAC - 3.75"	YES	MRYST2620AAPC	9505
25	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPR 2040 - INTERAXLE TATA LPK 2523, 3128, LEY. U-TRUCK 2523 - LONG 3.75" PIPE - DIRECT HALF YOKE WELD TY	L/L TAURUS - MC1015UT	47.64X135	14.75"	10.5"	34	MST2627BWC - 3.75" (DIRECT HALF YOKE WELD TY)	YES	MRYST2620WPC	8690
26	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 590 SERIES - LPT 3723 - SHORT 4.5" PIPE	RSB 590 - MC1038	52X147	14.75"	8"	36	MST2727AC - 4.5"	YES	MRYST2720APC	12105
27	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 590 SERIES - LPT 3723 - LONG 4.5" PIPE	RSB 590 - MC1038	52X147	15.75"	9.5"	36	MST2727C - 4.5"	YES	MRYST2720PC	13025
28	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 620 - LPK 2523, LPK 2518 - 4.5" PIPE	RSB 620 - MC1036	57X152	14.5"	8"	36	MST3320C - 4.5"	YES	MRYST3320PC	12305
				TOTAL LENGTH						M R P

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TEETH	TUBE	NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	Rs.
<b>FORK TEETH/ REVERSE YOKE &amp; SLIDING TUBE SET - GLIDE COAT (MRYST - COATED)</b>										
29	FORK TEETH & S.TUBE W/ D.COVER & SEAL - SPR 2045 - LPK 2521, LEY. 3123, LPS 4923, BHARAT BENZ 3128 - SHORT 4.5" PIPE	SPR 2045 - MC1038	52X147	12.25"	8"	38	MST 2827AC - 4"	YES	MRYST2820A PC	11390
30	FORK TEETH & S.TUBE W/ D.COVER & SEAL - SPR 2045 - LPK 2521, LEY. 3123, LPS 4923, BHARAT BENZ 3128 - LONG 4.5" PIPE	SPR 2045 - MC1038	52X147	15.5"	11"	38	MST 2827C - 4"	YES	MRYST2820P C	14045
31	FORK TEETH & S.TUBE W/ D.COVER & SEAL - SPR 2045 - LPK 2521, LEY. 3123, LPS 4923, BHARAT BENZ 3128 - LONG 4.5" PIPE - DIRECT HALF YOKE WELD TY.	SPR 2045 - MC1038	52X147	15.5"	10"	38	MST 2827WC - 4" (DIRECT HALF YOKE WELD TY.)	YES	MRYST2820P WC	13965
32	FORK TEETH & S.TUBE W/ D.COVER & SEAL - SPR 2055 - LPK 2528, LEY. 4936, BHARAT BENZ 4436 - SHORT 4.5" PIPE	SPR 2055 - MC1036	57X152	13.25"	8.5"	38	MST2927C - 4.5"	YES	MRYST2920P C	11700
33	FORK TEETH & S.TUBE W/D.COVER & SEAL - SPR 2060 - TATA LPT 5252, 3138, 2138, VOLVO -	SPR 2060 - MC1039	59X167					YES	MRYST3020P C	14000

#### 14. STUB BALL HALF YOKE (MHY)

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	PIPE DIA		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
				mm	Inch			
1	TATA 407/ 1210 CONVERT	1210 - MC1022	38X56.9	54	2.25"		MHY407A	770
2	TATA 1210 - 2.5"	1210 - MC1022	38X56.9	64	2.5"	2573 4111 5115	MHY108	770
3	TATA SE - 3"	1210 - MC1022	38X56.9	68	3"	312 411 1205	MHY115	815
4	TATA 1312 - 3"	1312 - MC1023	46X68.9	72	3"		MHY209A	1185
5	TATA 1312 - 3.5"	1312 - MC1023	46X68.9	84	3.5"	2576 4111 5109	MHY209	1185
6	TATA LPK 2516/ 1615 - SPICER 3.5"	SPICER SPL90X - MC1013	41.27X126	84	3.5"	INSKU 100232	MHY1308B	1695
7	L/L 2214 / TCAC SUPER TUSKER	SPICER SPL90X - MC1013	41.27X126	95	4"	90-28-27/ 90-28-17	MHY1308	1540

8	L/L 2214 / TCAC SUPER TUSKER - LONG	SPICER SPL90X - MC1013	41.27X126	95	4"		MHY1308L	1720
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	PIPE DIA		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
				mm	Inch			

**STUB BALL HALF YOKE (MHY)**

9	TATA 2515 EX/ 2518 - RSB 325 SERIES - 3.5"	RSB - MC1030	42X119.8	84	3.5"	2632 4140 5106	MHY1319	1660
10	TATA 2515 EX/ 2518 - RSB 325 SERIES - 4"	RSB - MC1030	42X119.8	95	4"		MHY1319A	1720
11	TATA 2516 LPT - RSB 403 SERIES - 3.5"	RSB - MC1026	42X129.4	84	3.5"		MHY1318A	1660
12	TATA 2516 - RSB 403 SERIES - 4"	RSB - MC1026	42X129.4	95	4"	2171 4112 5105	MHY1318	1720
13	TATA 2516 - RSB 403 SERIES - 4" LONG L=145MM	RSB - MC1026	42X129.4	95	4"	2171 4112 5105	MHY1318L	1760
14	TATA 4018 - RSB 490 SERIES - 4"	RSB - MC1031	48X135	95	4"	2161 4112 5102	MHY1321	1860
15	TATA 4018 - RSB 490 SERIES - 4", LONG TL=152MM	RSB - MC1031	48X135	95	4"	2161 4112 5102	MHY1321L	1900
16	RSB 585 SERIES - 4" PIPE	RSB - MC1040	48X154	95	4"		MHY1321AL	1960
17	TATA 4018/ 3118/ LPO 1623/ 1618/ 1615/ 1625 & L/L 2515/ 3213/ 3118 & MAN 25T - SPICER PATTI TY.	SPICER 5-280X - MC1032P	49.2X155	95	4"	6-28-347	MHY1608	1980
18	TATA 3118 LPT, 2518, 3718, LEY. 3119 - SPICER 2040 SERIES - 3.75"	SPR 2040 - MC1015UT	47.64X135	91	3.75"		MHY2608	1860
19	LEY. 3518, MNAL 35T, TATA LPS4921, LPO 1625, BHARAT BENZ 3123 - SPR 2040 SERIES - 4.5" PIPE	SPR 2040 - MC1015UT	47.64X135	114	4.5"		MHY2608A	2000
20	LPS 4923, LEY. 3123, MNAL 49TR, EICHER TERRA 25, MAN 31.28, BHARAT BENZ 2523 - SPR 2045-2047	SPR 2045-2047 - MC1038	52X147	114	4.5"		MHY2708	2420
21	LPK 3138, LPK 2538, LPK 2523, LEY. FV2636, 3136 - SPR 2045-2047 SERIES	SPR 2045-2047 - MC1038	52X147	95	4"		MHY2708A	2200
22	LPK 2528, LEY. 4936, 4436, BHARAT BENZ - SPR 2055 SERIES	SPR 2055 - MC1036	57X152	108	4.25"		MHY2908A	2620
23	TATA LPT 3723, LPT 2523 - RSB 590 SERIES - 4.5" PIPE	RSB 590 - MC1038	52X147	114	4.5"		MHY2708	2420
24	TATA LPK 3118 8X4, LPK 2521, LPK 2523, LPK 2518, LPS 4923 - RSB 620 - 4.25" PIPE	RSB 620 - MC1036	57X152	108	4.25"		MHY2908	2620
25	TATA LPK 3138, LPK 2538, LPK 2528, LPO 2138, LEY. FV 3136, MAN 31.28 - SPR 2060 - MC1039	SPR 2060 - MC1039	59X167.6	118	4.75"		MHY1323AL	2750
26	L/L 370/ BEDFORD - 3"	370 - MC1020	39.7X116	72	3"	K4-26-GB-477	MHY611	1060

27	L/L 370/ BEDFORD - 3"	370 - MC1020	39.7X116	84	3.5"	K4-26-GB-577	MHY612	1080
28	L/L TUSKER - 3"	TUSKER - MC1021	34.92X126.2	72	3"	P 1500 114/ F2134011	MHY711	1015
29	L/L TUSKER - 3.5"	TUSKER - MC1021	34.92X126.2	84	3.5"	P4200 234/ F2134311	MHY712	1080
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	PIPE DIA		OEM REF.	MOOVEL P.NO.	M.R.P Rs.
				mm	Inch			

**STUB BALL HALF YOKE (MHY)**

30	INTER-AXLE TATA/ LEY. 2516/ 3516/ HYVA	TUSKER - MC1021	34.92X126.2	95	4"	INSKU 100963/ 975	MHY1308A	1720
31	L/L TAURUS - T11 - 3.5"	TUARUS - MC1015	47.62X135	84	3.5"		MHY809	1625
32	TATA 407 - TELCO TY	407 - MC1005	30X82	54	2.25"		MHY407	580
33	MAH. JEEP DIESEL - 2.5"	JEEP - MC1018	27X82	62	2.5"		MHY909	550
34	MAH. MAX PICK-UP - 3"	JEEP - MC1018	27X82	72	3"		MHY909A	595
35	MAH. MAXI TRUCK - 2.75" PIPE	JEEP - MC1018	27X82	66	2.75"		MHY909B	595
36	EICHER CANTER, 407 TURBO, 709, 909	CANTER - MC1025	30.17X106	72	3"		MHY1408	660
37	TATA ACE O/M - INNER LOCK TY.	ACE - MC1027	23.82X35	45	1.75"		MHY1504	415
38	TATA MAGIC/ HT - OUTER LOCK TY.	MAGIC - MC1028	22X55	45	1.75"		MHY1504A	415
39	TATA ACE MAGIC N/M, DICOR - LONG HT.	MAGIC - MC1028	22X55	45	1.75"		MHY1504B	460
40	AMBASSADOR	AMB. - MC1019	23.83X61.4	45	1.75"		MHY1808	400
41	TATA SUPER ACE	JEEP - MC1018	27X82	56	2.25"		MHY1504AA	640
42	L/L DOST	JEEP - MC1018	27X82	46	2"		MHY2904	605
43	MAH. MAXXIMO	JEEP - MC1018	27X82	56	2.25"		MHY2804	550
44	TATA 407 TURBO (MSL TYPE) - DCM CROSS	DCM - MC1029	30.17X92	72	3"		MHY1408A	660
45	TATA 407 PICK UP - JCB 3DX CROSS - 3" PIPE	JCB 3DX - MC1033	34.94X106	72	3"		MHY1408C	920
46	TATA 407 PICK UP - JCB 3DX CROSS - 3.5" PIPE	JCB 3DX - MC1033	34.94X106	84	3.5"		MHY1408B	950

**15. FRONTH TEETH W/ NUT (MFT)**

S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	BRG. DIA mm	MATING COUPLING	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			INCH	mm						

1	TATA 1510 TC & L/L 1613 TIPPER/ ECOMET	10	3.5"	84	5.5"/ 142MM	45 mm (BRG. NO.: 88509/ 6209)	MCC1703	INSKU 100557	MFT309	1130
2	L/L 370/ TUSKER - 3"	10	3"	72	8"/ 202MM	46 mm (BRG. NO.: MSN-14)	MCC602	P1502733	MFT609	1090
3	L/L 370/ TUSKER - 3.5"	10	3.5"	84	8.5"/ 215MM	46 mm (BRG. NO.: MSN-14)	MCC602, 813	P1502535	MFT610	1145
4	EICHER CANTER	10	3"	72	6"/ 150MM	40 mm (BRG. NO.: 88508/ 6208)	MCC1402		MP1409	1075
S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	BRG. DIA mm	MATING COUPLING	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			INCH	mm						

**FRONT TEETH (MFT)**

5	TATA 407, SUMO O/M	16	2.25"	56	7"/ 178MM	35 mm (BRG. NO.: 6207/ 88507)	MCC401, 402, 502		MFT408	815
6	TATA 1210 - 2.5"	16	2.5"	64	7.25"/ 185MM		MCC102	2573 4111 0511	MFT109	990
7	TATA SE - 3"	16	3"	72	7.25"/ 185MM		MCC102, 202	313 411 1702	MFT116	1060
8	EICHER 11.10 XP - 3" PIPE	16	3"	72	7"/ 180MM		MCC1402D		MFT1409D	1115
9	L/L TAURUS - T11 - 3.5"	16	3.5"	84	7"/ 180MM	62 mm (BRG. NO.: 6112)	MCC802		MFT808	1420
10	TATA & LEY. 3118, 3116, 4923, AMW (SPICER 1710 SERIES) - 4" PIPE	16	4"	95	7.5"/ 190MM	60mm	MCC820, 820S		MFT2509	2280
11	TATA / LEY./ AMW - SPICER 1710 SERIES - 4.5" PIPE	16	4.5"	114	7.5"/ 190MM	60mm	MCC820SS		MFT2509A	2420
12	TATA 3118 LPT, 2518, 3718, LEY.3119 MNAL - 4" - BOLT TYPE	20	4"	95	6.25"/ 160MM		MCC2607, 2607B		MFTY2609	2280
13	LEY.3518, MNAL 35T, TATA LPS4921, LPO 1625, 1624, BHARAT BENZ 3123 - 4.5" - BOLT TYPE	20	4.5"	114	6"/ 151MM		MCC2607A		MFT2609A	2420
14	TATA 1312, 1612 - TIPPER - 3"	26	3"	72	8"/ 200MM	55 mm (BRG. NO.: 88511/ 6211)	MCC203		MFT210A	1455
15	TATA 1312, 1612, 1613, 2416 - 3.5"	26	3.5"	84	8"/ 200MM	55mm (BRG. NO.: 88511/ 6211)	MCC203, 203A	2576 4111 5104	MFT210	1455



16	TATA 2516, 2518 (1312 - 4")	26	4"	95	8"/ 204MM	55 mm (BRG. NO.: 88511/ 6211)	MCC203A, 203AA, 203S	INSKU 100853	MFT210AA	1760
17	TATA LPT 1613 LATEST - 3.5" PIPE	26	3.5"	84	7.75"/ 195MM	55 mm (BRG. NO.: 88511/ 6211)	MCC203A, 203S, 203AS		MFT210BC	1680
18	TATA LPK 1616, LPK 1613, LPT 2518 - 1STEP - BIG COLLAR - 4"	26	4"	95	7.75"/ 195MM	55 mm (BRG. NO.: 88511/ 6211)	MP203S, 203AS	BIG HEAD, 1STEP - BIG COLLAR	MFT210AB	1760
19	TATA LPT 3118, 2518 - BIG HEAD - 2STEP - 4"	26	4"	95	7"/ 180MM	55 mm (BRG. NO.: 88511/ 6211)	MP203S, 203AS	BIG HEAD, 2STEP	MFT210C	1760
20	TATA PRIMA - 1STEP - BIG COLLAR - 4.5"	26	4.5"	114	7"/ 195MM	55 mm (BRG. NO.: 88511/ 6211)	MCC203ACS		MFT210AAB	1880
S.NO	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	BRG. DIA mm	MATING COUPLING	OEM REF.	MOOVEL P.NO.	M.R.P Rs.
			INCH	mm						

**FRONT TEETH (MFT)**

21	TATA 2518, 3118, LEY. 3116 - 3STEP - 4"	26	4"	95	7"/ 180MM	65mm (BRG.NO.: 6013)	MCC203AS, 203BS, 203S		MFT210B	1760
22	TATA 2518, 3118, LEY. 3116 - 2STEP - 4"	26	4"	95	7"/ 180MM	65mm (BRG.NO.: 6013)	MCC203AS, 203S, 203AB, 203AA		MFT210BB	1760
23	TATA 3718 - 4" - BOLT TYPE	26	4"	95			MCC2703		MFT2709	2300
24	TATA 3718 - 4.5" - BOLT TYPE	26	4.5"	114			MCC2703		MFT2709A	2420
25	TATA 3118 LPK, 3718, 3723, 2523 LPK - 4.5"	30	4.5"	114			MCC3302		MFT3309	2620
26	SWARAJ MAZDA - 3"	34	3"	72	7"/ 180MM		MCC1402C		MFT1409C	1375
27	TATA 1613, 1616 SE, 1616 SK - 2STEP - 3.5"	34	3.5"	84	6.25"/ 162MM	55 mm (BRG. NO.: 6211/ 88511)	MCC1202S, 1202, 1202A, 1331		MFT1309A	1500
28	TATA 2515, 2516, 2518, 1613 TURBO - 2STEP - 4"	34	4"	95	6.5"/ 167MM	55 mm (BRG. NO.: 6211/ 88511)	MCC1331, 1302ASS	INSKU 100902	MFT1309AA	1540
29	LEY. 1613 TIPPER N/M, ECOMET, STAG BUS N/M - 1STEP - 3.5"	34	3.5"	95	6.5"/ 162MM	45 mm (BRG. NO.: 88509/ 6209)	MCC1703A, 1703AS, 1331A	90-53-0020	MFT1309B	1400
30	L/L 2214/ TCAC SUPER TUSKER - 1STEP - 4"	34	4"	95	6.5"/ 162MM	45 mm (BRG. NO.: 88509/ 6209)	MCC1302, 1331A, 1302S	5-53-271/ 90-53- 31	MFT1309	1440

**16. FULL YOKE ASSEMBLY (MFYA)**

S.NO	APPLICATION	U. J. CROSS	CROSS SIZE	NO. OF	CROSS HOLDER	MATING PARTS	MATING REAR	MOOVEL P.NO.	M.R.P
------	-------------	-------------	------------	--------	--------------	--------------	-------------	--------------	-------

S.NO	APPLICATION	REF.	CROSS SIZE	SPLINES	TY.	MATING PARTS	TEETH	MOOVEL P.NO.	Rs.
1	TATA 1210	1210 - MC1022	38X56.9	10	4.72"/ 120mm, 6 Holes	MFY106, MC1022, MCH104	MRT107	MFYA110	2775
2	TATA SE	1210 - MC1022	38X56.9	10	4.72"/ 120mm, 6 Holes	MFY113, MC1022, MCH104	MRT114	MFYA118	2775
3	TATA 1312 - 8 HOLE	1312 - MC1023	46X68.9	16	5"/ 130mm, 8 HOLE	MFY207, MC1023, MCH205	MRT208, 208C	MFYA211	4360
4	TATA 1312 - 6 HOLE	1312 - MC1023	46X68.9	16	4.72"/ 120mm, 6 HOLE	MFY207, MC1023, MCH205A	MRT208, 208C	MFYA211A	4360
5	L/L 370/ BEDFORD	370 - MC1020	39.7X116	16	6"/ 150mm, 4 HOLE	MP606, MC1020, MP604	MP607, 607FC, 608, 608FC	MFYA613	3405
6	L/L TUSKER - MSL TYPE	TUSKER - MC1021	34.92X126.2	16	Square base, 4 hole	MP706, MC1021, MP704	MP607, 607FC, 608, 608FC	MFYA713	3260
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	CROSS HOLDER TY.	MATING PARTS	MATING REAR TEETH	MOOVEL P.NO.	M.R.P Rs.
<b>FULL YOKE ASSEMBLY (FYA)</b>									
7	L/L TAURUS - T11	TAURUS - MC1015	47.62X135	16	7"/ 175mm, 8 HOLE	MP805, MC1015, MP804	MP806, MP806AC	MFYA810	5080
8	TATA 2515C EX, 1613 LP (10 SLIP YOKE) - 5", 8H (30 Spl.)	SPICER SPL90X - MC1013	41.27X126	30	5"/ 130mm, 8 HOLE	MFY1306, MC1013, MCH1204A	MRT1307, 1307C, 1307S, 1307SC	MFYA1311B	4670
9	TATA 2515C EX, 1613 LP - (110 SLIP YOKE) - 5", 8H (16 SPL.)	SPICER SPL90X - MC1013	41.27X126	16	5"/ 130mm, 8 HOLE	MFY1306A, MC1013, MCH1204A	MRT1307A, 1307AC, 1307AA, 1307AAC, 1307AS, 1307ASC	MFYA1311AB	4670
10	L/L 2214/ TCAC SUPER TUSKER - (110 SLIP YOKE) SPICER TY. - 7", 8H (30 SPL.)	SPICER SPL90X - MC1013	41.27X126	30	7"/ 175mm, 8 HOLE	MFY1306, MC1013, MCH1204	MRT1307, 1307C, 1307S, 1307SC	MFYA1311	4920
11	L/L 2214/ TCAC SUPER TUSKER - (110 SLIP YOKE) MSL TY. - 7", 8H (16 SPL.)	SPICER SPL90X - MC1013	41.27X126	16	7"/ 175mm, 8 HOLE	MFY1306A, MC1013, MCH1204	MRT1307A, 1307AC, 1307AA, 1307AAC, 1307AS, 1307ASC	MFYA1311A	4920
12	LEY. 3516 (63 SLIP YOKE) - 7", 8H (30 SPL.)	SPICER SPL90X - MC1013	41.27X126	30	7"/ 175mm, 8 HOLE	MFY1206, MC1013, MCH1204	MRT1209, 1209C, 1210, 1210C	MFY1211	4865
13	LEY. 3516 (63 SLIP YOKE) - 7", 8H (16 SPL.)	SPICER SPL90X - MC1013	41.27X126	16	7"/ 175mm, 8 HOLE	MFY1206A, MC1013, MCH1204	MRT1209A, 1209AC, 1210A, 1210AC	MFY1211A	4865
14	TATA 1616 LPK, 1613 TURBO, LEY. 2516 (110 SLIP YOKE) - 6", 4H, SERRATED) - 30 SPL.	SPICER SPL90X - MC1013	41.27X126	30	6"/ 150mm, 4 HOLE, SERRATED - LONG HT.	MFY1306, MC1013, MCH1242A	MRT1307, 1307C, 1307S, 1307SC	MFYA1311BC	5230

15	TATA 1616 LPK, 1613 TURBO, LEY. 2516 (110 SLIP YOKE) - 6", 4H, SERRATED) - 16 SPL.	SPICER SPL90X - MC1013	41.27X126	16	6"/ 150mm, 4 HOLE, SERRATED - LONG HT.	MFY1306A, MC1013, MCH1242A	MRT1307A, 1307AC, 1307AA, 1307AAC, 1307AS, 1307ASC	MFYA1311ABC	5230
16	TATA 1616 LPK, 1613 TURBO, LEY. 2516 (110 SLIP YOKE) - 6", 4H, SERRATED LONG HT. - 30 SPL.	SPICER SPL90X - MC1013	41.27X126	30	6"/ 150mm, 4 HOLE, SERRATED	MFY1306, MC1013, MCH1242	MRT1307, 1307C, 1307S, 1307SC	MFYA1311C	5105
17	TATA 1616 LPK, 1613 TURBO, LEY. 2516 (110 SLIP YOKE) - 6", 4H, SERRATED LONG HT. - 16 SPL.	SPICER SPL90X - MC1013	41.27X126	16	6"/ 150mm, 4 HOLE, SERRATED	MFY1306A, MC1013, MCH1242	MRT1307A, 1307AC, 1307AA, 1307AAC, 1307AS, 1307ASC	MFYA1311AC	5105
18	TATA 2516, LEY. 3116, LEY. 2516 (INTERAXLE) - SPICER 1710 SERIES	SPICER SPL90X - MC1013	41.27X126	16	6"/ 150mm, 4 HOLE, SERRATED - LONG HT.	MFY1241, MC1013, MCH1242A	MRT1232MC, 1232MCP	MFYA1511	6475
19	TATA 1616 LPK, 1613 TURBO - RSB 325	RSB 325 - MC1030	42X119.8	20	6"/ 150mm, 4 HOLE, SERRATED	MRY1316TP, MC1030, MCH1604AS	MST1325 - 3.5", 1326 - 4"	MFYA4111	6335
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	CROSS HOLDER TY.	MATING PARTS	MATING REAR TEETH	MOOVEL P.NO.	M.R.P Rs.
<b>FULL YOKE ASSEMBLY (FYA)</b>									
20	TATA 2516LPK, 2518 (INTERAXLE) - RSB 403	RSB 403 - MC1026	42X129.4	20	6"/ 150mm, 4 HOLE, SERRATED - LONG HT.	MRY1317ATP, MC1026, MCH1604SS	MST1326A	MFYA4211	7170
21	TATA 2518 LPK BSIII, 4018, 3518C EX - RSB 490	RSB 490 - MC1031	48X135	30	6"/ 150mm, 4 HOLE, SERRATED	MRY1320ATP, MC1031, MCH1322S	MST1327A	MFYA4311A	7680
22	TATA 3118 LPT BSIII, LEY. 3116, 3118 - RSB 490	RSB 490 - MC1031	48X135	30	6"/ 150mm, 4 HOLE, SERRATED	MRY1320TP, MC1031, MCH1322S	MST1327	MFYA4311	8005
23	TATA LPO3118, LPT 2518 BSIII, 2521, LEY. 2516 TIPPER, AMW 2518, MAN 25T - PATTI BOLT TY.	SPR 5-280X - MC1032P	49.2X155	16	6"/ 150mm, 4H, SERRATED	MFY1906, MC1032P, MCH1604AAS	MRT1232C	MFYA1911	8630
24	TATA 407	407 - MC1005	30X82	16	4"/ 100mm, 6 HOLE	MFY405, MC1005, MCH403	MRT406, 406C	MFYA409	1940
25	MAH. JEEP DIESEL - ROUND BASE	JEEP - MC1018	27X82	16	4"/ 100mm, 4 HOLE	MP907, MC1018, MP905	MP908, 908C, 908A, 908AC	MFYA910	1775
26	MAH. JEEP DIESEL - SQUARE BASE	JEEP - MC1018	27X82	16	Square base, 4 HOLE	MP907, MC1018, MP905A	MP908, 908C, 908A, 908AC	MFYA910A	1800
27	AMBASSADOR	AMB. - MC1019	23.3X61.4	16	3.4"/ 87mm, 4HOLE	MP1806, MC1019, MP1804	MP1807	MFYA1809	1265

**17. HALF YOKE ASSEMBLY (MHYA)**

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	PIPE DIA		MATING PARTS	MOOVEL P.NO.	M.R.P Rs.
				mm	Inch			
1	TATA 1210 - 2.5"	1210 - MC1022	38X56.9	64	2.5"	MHY108, MC1022, MCH104	<b>MHYA111</b>	2215
2	TATA SE - 3"	1210 - MC1022	38X56.9	68	3"	MHY115, MC1022, MCH104	<b>MHYA119</b>	2255
3	TATA 1312 - 3.5"	1312 - MC1023	46X68.9	84	3.5"	MHY209, MC1023, MCH205	<b>MHYA212</b>	3450
4	L/L 2214/ TCAC SUPER TUSKER - 4"	SPICER SPL90X - MC1013	41.27X126	95	4"	MHY1308, MC1013, MCH1204	<b>MHYA1312</b>	4380
5	TATA 2525 EX, 1613LP - 5", 8H	SPICER SPL90X - MC1013	41.27X126	95	4"	MHY1308, MC1013, MCH1204A	<b>MHYA1312B</b>	3955
6	TATA 1616, 1613, LEY. 2516, 3516 - 6", 4H SERRATED	SPICER SPL90X - MC1013	41.27X126	95	4"	MHY1308, MC1013, MCH1242	<b>MHYA1312D</b>	4390
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	PIPE DIA		MATING PARTS	MOOVEL P.NO.	M.R.P Rs.
				mm	Inch			
<b>HALF YOKE ASSEMBLY (HYA)</b>								
7	TATA 2516, LEY. 2516 (INTERAXLE) - 6", 4H, SERRATED - LONG HT.	SPICER SPL90X - MC1013	41.27X126	95	4"	MHYA1308L, MC1013, MCH1242A	<b>MHYA1312BD</b>	4695
8	TATA 1616 LPK, 1613 TURBO - RSB 325 - 6", 4H SERRATED	RSB 325 - MC1030	42X119.8	95	4"	MHYA1319A, MC1030, MCH1604AS	<b>MHYA4112</b>	4605
9	TATA 2516 LPK, 2518 - RSB 403 - 6", 4H, SERRATED	RSB 403 - MC1026	42X129.4	95	4"	MHY1318L, MC1026, MCH1604SS	<b>MHYA4212</b>	4855
10	TATA 3118, 2518 LPK, LEY. 3118, 3116 - RSB 490 - 6", 4H, SERRATED	RSB 490 - MC1031	48X135	95	4"	MHY1321, MC1031, MCH1322S	<b>MHYA4312</b>	5715
11	TATA LPO 3118, LPT 2518 BSIII, 2521, LPO BUS 1625, LEY.2516 TIPPER, 4921, AMW 2518, MAN 25T - PATTI BOLT TY	SPR 5-280X - MC1032P	49.2X155	95	4"	MHY1608, MC1032P, MCH1604AAS	<b>MHYA1912</b>	6610
12	L/L 370/ BEDFORD - 3"	370 - MC1020	39.7X116	72	3"	MHY611, MC1020, MCH604	<b>MHYA614</b>	3010

13	L/L 370/ BEDFORD - 3.5"	370 - MC1020	39.7X116	84	3.5"	MHY612, MC1020, MCH604	<b>MHYA615</b>	3030
14	L/L TUSKER - 3"	TUSKER - MC1021	34.92X126.2	72	3"	MHY711, MC1021, MCH704	<b>MHYA714</b>	2820
15	L/L TUSKER - 3.5"	TUSKER - MC1021	34.92X126.2	84	3.5"	MHY712, MC1021, MCH704	<b>MHYA715</b>	2885
16	L/L TAURUS - T11 - 3.5"	TAURUS - MC1015	47.62X135	84	3.5"	MHY809, MC1015, MCH804	<b>MHYA811</b>	4720
17	TATA 407	407 - MC1005	30X82	56	2.25"	MHY407, MC1005, MCH403	<b>MHYA410</b>	1665
18	JEEP DIESEL - 2.5" (ROUND BASE)	JEEP - MC1018	27X82	62	2.5"	MHY909, MC1018, MCH905	<b>MHYA911</b>	1510
19	JEEP DIESEL - 3" (SQUARE BASE)	JEEP - MC1018	27X82	72	3"	MHY909A, MC1018, MCH905A	<b>MHYA911A</b>	1580
20	AMBASSADOR	AMB. - MC1019	23.83X61.4	52	2"	MHY1808, MC1019, MCH1804	<b>MHYA1810</b>	1135

### 18. U. J. CROSS FOR TATA/ LEY./ MAH. JEEP/ EICHER/ AMW/ MAN - SPICER & RSB TYPE

S.NO	APPLICATION	CROSS SIZE		LOCK TYPE	MOOVEL P.NO.	M.R.P Rs.
		CUP OD mm	LOCK SIZE mm			
1	TATA 1210/ SE/ 1109	38	56.7	INNER LOCK	<b>MC1022</b>	730
2	TATA 1312/ 1612/ 2515	46	68.7	INNER LOCK	<b>MC1023</b>	1125
3	TATA 2516/ 3516/ HYVA & L/L 2214/ 3516/ TCAC SUPER TUSKER - SPICER SPL90X	41.27	126	OUTTER LOCK	<b>MC1013</b>	1150
4	L/L TUSKER (MSL TYPE)	34.92	126.2	OUTTER LOCK	<b>MC1021</b>	910
5	L/L 370/ BEDFORD	39.67	116	OUTTER LOCK	<b>MC1020</b>	910
6	TATA 1616/ 2518 - RSB 390 SERIES	42	119.8	OUTTER LOCK	<b>MC1030</b>	1185
7	TATA 2516 - RSB 403 SERIES	42	129.4	OUTTER LOCK	<b>MC1026</b>	1270
8	TATA 4018 (LOCK TYPE) - RSB 425 SERIES	48	135	OUTTER LOCK	<b>MC1031</b>	1755
9	TATA 4018 (PATTI TY.) - SPICER 5-280X	49.2	155	PATTI TYPE	<b>MC1032P</b>	2330
10	TATA 407 - TELCO TYPE	30	82	OUTTER LOCK	<b>MC1005</b>	510
11	MAH. JEEP DIESEL	27	82	OUTTER LOCK	<b>MC1018</b>	425
12	TATA SUMO (SPICER TYPE- PATTI CLAMP TYPE)	27	82	PATTI CLAMP TYPE	<b>MC1018P</b>	485
13	EICHER CANTER, TATA 909, 709 EX, 410, 407 TURBO, LEY. IVECO	30.17	106	OUTTER LOCK	<b>MC1025</b>	620
14	TATA 407 TURBO - MSL TYPE (DCM CROSS)	30.17	92	OUTTER LOCK	<b>MC1029</b>	605
15	L/L TAURUS - T11 (LOCK TYPE)	47.62	135	OUTTER LOCK	<b>MC1015UT</b>	1430
16	AMBASSADOR	23.83	61.4	OUTTER LOCK	<b>MC1019</b>	365
17	TATA ACE O/M	23.82	35	INNER LOCK	<b>MC1027</b>	365
18	TATA MAGIC/ HT N/M	22.03	55	OUTTER LOCK	<b>MC1028</b>	365

19	MINIDOR/ MATADOR	30	82	OUTTER LOCK	MC1024	400
20	TATA 410 EX/ JCB 3D	34.92	106	OUTTER LOCK	MC1033	750
21	AMW - BIG	57	144	OUTTER LOCK	MC1034	2750
22	JAMELA ASSY. CROSS	18	44.5	OUTTER LOCK	MC1035	255
23	TATA LPK 3118, 2521, 2523, 2518, LEY. 4936, 4436TR, BHARAT BENZ CLA 25.28, 31.28, 49.28	57	152	OUTTER LOCK	MC1036	2860
24	AMW/ TATA PRIMA	52	133	OUTTER LOCK	MC1037	2200
25	TATA 3718, 4923, 3138, 3723, LEY. 3123, BHARAT BENZ CLA 26.28, 31.28	52	147	OUTTER LOCK	MC1038	2530
26	TATA LPK 3118, 5252, 2538, 2138, VOLVO	59	167	OUTTER LOCK	MC1039	3825
27	RSB 585 SERIES	48	154	OUTTER LOCK	MC1040	1950
28	TATA ACE - MINT	26	87	OUTTER LOCK	MC1041	575

### 19. STEERING YOKE & TEETH - GLIDE COAT (MSYT - COATED)

S.NO	APPLICATION			MOOVEL P.NO.	M.R.P. Rs.
1	TATA SUMO - 8" LONG			MSYT2111C	1300
2	TATA 207 DI - 15" LONG			MSST2112C	2025
3	TATA 407 - 17.5" LONG			MSYT2113C	1465
4	TATA 407 TURBO - HEAVY DUTY - 17.5"			MSYT2113AC	1705
5	TATA 609 DI, 709 - 16" LONG			MSYT2114C	1465
6	TATA 709 LPT - 16" LONG			MSYT2115C	2025
7	TATA 1109 LP - 15.75" LONG			MSYT2116C	2090
8	TATA 3015 EX, 1613 TC, 2515 TC - 15.5" LONG			MSYT2117C	2310
9	TATA 1613 SFC/ 1613 EX - 17.5" LONG			MSYT2118C	2310
10	TATA 2515 RANE POWER STEERING - 18.75" LONG			MSYT2119C	2310
11	TATA 2515 ZF POWER STEERING - 19.5" LONG			MSYT2120C	2310

S.NO	APPLICATION			MOOVEL P.NO.	M.R.P. Rs.
<b>STEERING YOKE &amp; TEETH - GLIDE COAT</b>					
12	TATA 4018 EX - 18" LONG			MSYT2121C	2310
13	TATA 410, 712 SFC - N/M - 20" LONG			MSYT2122C	1520
14	TATA 1109 EX BIG - 19.75" LONG			MSYT2123C	2090
15	TATA 1613 LPT			MSYT2124C	2025
16	TATA 712 EX SFC - 14" LONG			MSYT2125C	1420
17	TATA 407 CITY RIDE			MSYT2126C	1420
18	TATA 909 EX - 18.5"			MSYT2127C	1735
19	TATA 4923, 4018 N/M			MSYT2128C	2050
20	TATA 3118			MSYT2129C	2225
21	TATA 1613 LPT			MSYT2130C	1400

### 20. STEERING PITMAN ARM (MSPA & MSSA)

S.NO	APPLICATION			MOOVEL P.NO.	M.R.P. Rs.
1	TATA 1210 - TRUCK			MSPA2006	1090
2	TATA 1210 - BUS			MSPA2007	1090
3	TATA SE - TRUCK			MSPA2014	790
4	TATA SE - LPS BUS			MSPA2015	825

5	TATA 1109 - MANUAL STEERING			MSPA3201	980
6	TATA 1109 - POWER STEERING			MSPA3202	980
7	TATA 1613 LP			MSPA3203	990
8	TATA 1613 SFC			MSPA3204	900
9	TATA 407 - TRUCK			MSPA2030	660
10	TATA 207 W/ BUSH			MSPA3205	650
11	TATA SUMO - SPLINE BORE			MSPA3206	585
12	TATA SUMO - SPACIO BIG			MSPA3207	970
13	TATA SUMO - W/ BUSH SMALL			MSPA3208	650
14	TATA 2416 TRUCK - 12"			MSPA3209	1155
15	TATA 2516 - RANE POWER STEERING 11"			MSPA3211	1075
16	TATA 2416 - ZF 12"			MSPA3214	1155
17	TATA 1613 BIG - 12"			MSPA3215	1190
18	STRAIGHT ARM - TATA 3118 - RIGHT	RIGHT		MSSA3216	2180
19	STRAIGHT ARM - TATA 3118 - LEFT	LEFT		MSSA3217	2180

### 21. CLUTCH FORK (MCF)

S.NO	APPLICATION	LENGTH		MOOVEL P.NO.	M.R.P. Rs.
1	Tata 1210 O/M	14.5"		MCF2048	580
2	Tata 1210 SE O/M - GB 30 - REGULAR	14.5"		MCF2049	580
3	Tata GB 40 - REGULAR	14"		MCF2049A	580
4	Tata 1312 O/M	10.5"		MCF2050	580
5	Tata 1312 N/M, 1109	11"		MCF2051	580
6	Tata 1510/1516 - GB 40 - SHORT	12.5"		MCF2051A	580
7	Tata 407	11"		MCF2052	580
8	TATA 709, 1109	12.5"		MCF2053	580
9	Leyland W/ Bush			MCF2054	1155
10	Leyland W/ Bush - Thread Type			MCF2054A	1155
S.NO	APPLICATION	LENGTH		MOOVEL P.NO.	M.R.P. Rs.
<b>CLUTCH FORK (MCF)</b>					
11	Tata 2515 EX (Cut Type/ C-Type) - GB60			MCF2056	1020
12	Tata 1613 TC - Small	12.5"		MCF2057	680
13	Tata 1613 TC - Big	14"		MCF2058	680
14	TATA GB-75			MCF2070	1320
15	TATA 4018, 3118	17.75"		MCF2071	1925
16	TATA 1109 - SINGLE BEND	12.5"		MCF2072	700
17	TATA 1109 - DOUBLE BEND	11"		MCF2073	720
18	TATA GBS55			MCF2074	1380

### 22. STEERING JOINT CROSS ASSEMBLY - TATA/ LEYLAND/ EICHER/ MAH. JEEP/ AMW/ BHARAT BENZ/ MANN - (MSCA)

S.NO	APPLICATION			MOOVEL P.NO.	M.R.P. Rs.
1	Tata 1210 O/M			MSCA2003	1335
2	Tata 1312/ SE			MSCA2011	840

3	Tata 1613 Turbo - one side thin & other thick spl			MSCA2012	860
4	Tata 2515/ 2516 - Rane Power Steering			MSCA2020	860
5	Tata 2515/ 2516 - ZF Steering			MSCA2055A	860
6	Tata 709 LPT			MSCA2055B	715
7	Tata 1109			MSCA2057	605
8	Tata 407			MSCA2027	605
9	Tata SUMO			MSCA2041	620
10	Tata SUMO - Victa			MSCA2041A	1155
11	Tata 207 DI RX			MSCA2085	635
12	Tata 4018			MSCA2086A	730
13	Leyland 2516/ 3516 - Thick Spline			MSCA2045	970
14	Leyland 2516/ 3516 - Thin Spline			MSCA2045A	970
15	Leyland 3516 Long			MSCA2055	1020
16	Leyland ZF Steering			MSCA2055A	860
17	Leyland ZF Power Steering			MSCA2055B	715
18	Tata ACE			MSCA2059	605
19	Tata ACE with Rod - Old Model			MSCA2059A	960
20	Tata ACE with Rod - Magic			MSCA2059AA	1020
21	Jeep Mahindra - Marshall Big			MSCA2082A	605
22	Jeep Mahindra - Commander Small			MSCA2083	605
23	Jeep mahindra - Bolero Upper Patti Type			MSCA2080U	660
24	Jeep mahindra - Bolero Lower			MSCA2081L	605
25	Jeep Mahindra - Scorpio			MSCA2084	690
26	JCB			MSCA2086J	590
27	Eicher Canter 10.70 - Original Type			MSCA2087	1045
28	Eicher Canter 10.95 - Original Type Long			MSCA2088	1100
29	Swaraj Mazda N/M			MSCA2089	1075
28	Eicher Canter 1110 - Original Type Long			MSCA2090	1070
28	Eicher Jumbo - TURBO - Original Type Long			MSCA2091	1075
30	Rane Power Strg. - MODIFIED			MSCA2020M	855
31	ZF Power Strg. - MODIFIED			MSCA2055BM	715
S.NO	APPLICATION			MOOVEL P.NO.	M.R.P. Rs.
<b>STEERING JOINT CROSS ASSEMBLY (MSCA)</b>					
32	Leyland DOST - Rane Power Strg. W/ Rod			MSCA2092	900
33	Leyland DOST - Manual Strg. W/ Rod			MSCA2093	900
34	Leyland DOST - UPPER W/ Rod			MSCA2094	900
35	Leyland IVECO 709, STALLION (O.E. P.No.: F-7859500) NO.: 116			MSCA2095	2060
36	Leyland IVECO 909 New Model NO.: 119			MSCA2096	2060
37	LEYLAND U-TRUCK 26 TEETH, PIPE 305mm			MSCA2097	2420
38	LEYLAND U-TRUCK 26 TEETH, PIPE 250mm			MSCA2098	2240
39	LEYLAND 4018/ U-TRUCK 26 TEETH, PIPE 192mm			MSCA2099	2060
40	EICHER JUMBO/ GALAXY (16 SPLINE) OE P.NO.: 312380, NO.: 113			MSCA2100	2240
41	EICHER JUMBO/ GALAXY - POWER STRG. EICHER H.C.V. NO.: 113A			MSCA2101	2240
42	TATA ACE SUPER W/ ROD			MSCA2102	1030
43	TATA ACE SUPER LOWER W/ ROD			MSCA2103	1020
44	TATA ACE IRIS BIG 18" W/ ROD WITH SMALL BORE IN SMALL YOKE			MSCA2104	1090



45	TATA ACE IRIS BIG 18" W/ ROD WITH BIG BORE IN SMALL YOKE			MSCA2105	1090
46	TATA ACE IRIS BIG 18" - RANE STEERING W/ ROD			MSCA2106	1120
47	TATA ACE IRIS SMALL 5" W/ ROD SMALL BORE IN SMALL YOKE			MSCA2107	940
48	TATA ACE HT 20" W/ ROD			MSCA2108	1140
49	Tata 2515/ 2516 - Rane Power Steering - Original Type		PUNCH TYPE	MSCA2020P	900
50	Tata 709 LPT - Original Type		PUNCH TYPE	MSCA2055BP	745
51	Tata 1109 - Original Type		PUNCH TYPE	MSCA2057P	645
52	Tata 407 - Original Type		PUNCH TYPE	MSCA2027P	645

### 23. GEAR HOUSING BLOCK ASSEMBLY (JAMELA ASSY.) - (MHBA)

S.NO	APPLICATION			MOOVEL P.NO.	M.R.P. Rs.
1	Tata 2515/ Leyland - Spline Type			MHBA2061	1395
2	Tata 1512/ 1613 TC - Thread Type			MHBA2065	1395
3	Leyland 3118			MHBA2068	1455
4	Tata 2516 TC			MHBA2066	1395
5	Tata 4018			MHBA2067	1210
6	Tata 1312 TC			MHBA2060	1395
7	Tata 1616 TC			MHBA2062	1395
8	Tata 1313 TC			MHBA2064	1395

### 24. STEERING SECTOR SHAFT (MSSS)

S.NO	APPLICATION			MOOVEL P.NO.	M.R.P. Rs.
1	Tata 1312/ SE			MSSS2009	1295
2	Tata 1312/ SE W/ Nut			MSSS2010	1365
3	Tata 407			MSSS2025	1295
4	Tata 407 W/ Nut			MSSS2026	1365
5	Tata 407 N/M			MSSS2025A	1365
6	Tata 407 N/M W/ Nut			MSSS2026A	1420
7	Tata Sumo			MSSS2033	1420
8	Tata 1613 LP			MSSS2080	2905
9	Tata 1613 SFC - Modified			MSSS2081	2905

S.NO	APPLICATION			MOOVEL P.NO.	M.R.P. Rs.
<b>STEERING SECTOR SHAFT (MSSS)</b>					
10	Tata 1613 SE			MSSS2082	2905
11	Tata 1613 VRST			MSSS2084	2450

### 25. INTER-AXLE (D. DIFF.) PROPSHAFT ASSY. - TATA & LEYLAND ( SPICER & RSB TYPE) - (MIAPS)

S.NO	APPLICATION	SPECIFICATION	MATING PARTS	MOOVEL P.NO.	M.R.P. Rs.
1	ley. 2214 - SPICER TYPE - L/L <b>TUSKER CROSS - (SQUARE BASE, 4 HOLE, LONG EARS) - TL=27"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, 4 HOLE, SQUARE BASE, LONG EARS, L/L TUSKER CROSS - 34.92X126.2, SHAFT L=27"	(MP1236 + MP1232MCP+MC10 21+MP1220) + (MP1220+MC1021+ MP1308A)	<b>MISA1245</b>	15870

2	ley. 2214 - SPICER TYPE - L/L <b>TUSKER CROSS - (SQUARE BASE, 4 HOLE, LONG EARS) - TL=24.5"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, 4 HOLE, SQUARE BASE, LONG EARS, L/L TUSKER CROSS - 34.92X126.2, SHAFT L=24.5"	(MP1236 + MP1232MCP+MC1021+MP1220) + (MP1220+MC1021+MP1308A)	<b>MISA1245B</b>	15470
3	ley. 2214 - SPICER TYPE - L/L <b>TUSKER CROSS - (SQUARE BASE, 4 HOLE, LONG EARS) - TL=30"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, 4 HOLE, SQUARE BASE, LONG EARS, L/L TUSKER CROSS - 34.92X126.2, SHAFT L=30"	(MP1236 + MP1232MCP+MC1021+MP1220) + (MP1220+MC1021+MP1308A)	<b>MISA1245D</b>	16270
4	SPICER TYPE - <b>SPICER SPL90X CROSS - (SQUARE BASE, 4 HOLE, LONG EARS) - TL=30"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, 4 HOLE, SQUARE BASE, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=30"	(MP1241 + MP1232MCP+MC1013+MP1220A) + (MP1220A+MC1013+MP1308L)	<b>MISA1245A</b>	16800
5	SPICER TYPE - <b>SPICER SPL90X CROSS - (6", 4 HOLE, X-SERRATED, LONG EARS) - TL=28"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=28"	(MP1241 + MP1232MCP+MC1013+MP1242A) + (MP1242A+MC1013+MP1308L)	<b>MISA1250</b>	17570
6	SPICER TYPE - <b>SPICER SPL90X CROSS - (6", 4 HOLE, X-SERRATED, LONG EARS) - TL=24"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=24"	(MP1241 + MP1232MCP+MC1013+MP1242A) + (MP1242A+MC1013+MP1308L)	<b>MISA1260</b>	17170
7	SPICER TYPE - <b>SPICER SPL90X CROSS - (6", 4 HOLE, X-SERRATED, LONG EARS) - TL=32"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=32"	(MP1241 + MP1232MCP+MC1013+MP1242A) + (MP1242A+MC1013+MP1308L)	<b>MISA1258</b>	18170
8	SPICER TYPE - <b>SPICER SPL90X CROSS - (6", 4 HOLE, X-SERRATED, LONG EARS) - TL=26"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=26"	(MP1241 + MP1232MCP+MC1013+MP1242A) + (MP1242A+MC1013+MP1308L)	<b>MISA1250A</b>	18770
9	SPICER TYPE - <b>SPICER SPL90X CROSS - (6", 4 HOLE, X-SERRATED, LONG EARS) - TL=30"</b>	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=30"	(MP1241 + MP1232MCP+MC1013+MP1242A) + (MP1242A+MC1013+MP1308L)	<b>MISA1259</b>	17970
<b>S.NO</b>	<b>APPLICATION</b>	<b>SPECIFICATION</b>	<b>MATING PARTS</b>	<b>MOOVEL P.NO.</b>	<b>M.R.P. Rs.</b>
<b>INTERAXLE SHAFT ASSEMBLY (MISA)</b>					
10	RSB TYPE - <b>RSB 403 SERIES CROSS 42X129.4, SHORT, 6" PLATE, 4H, X-SERRATED - TL=23.5"</b>	20 SPLINE, FORK L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, RSB CROSS - 42X129.4, LONG EARS, SHAFT L=23.5"	(MP1317TP+MP1326+MC1026+MP16045S) + (MP16045S+MC1026+MP1318L)	<b>MISA1336</b>	15270

11	RSB TYPE - <b>RSB 403 SERIES CROSS 42X129.4, LONG, 6" PLATE, 4H, X-SERRATED - TL=26.5"</b>	20 SPLINE, FORK L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, RSB CROSS - 42X129.4, LONG EARS, SHAFT L=26.5"	(MP1317TP+MP1326+MC1026+MP16045S) + (MP16045S+MC1026+MP1318L)	<b>MISA1336A</b>	15670
12	RSB TYPE - <b>RSB 403 SERIES CROSS 42X129.4, LONG, 6" PLATE, 4HOLE, X-SERRATED - TL=29.5"</b>	20 SPLINE, FORK L=15", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, RSB CROSS - 42X129.4, LONG EARS, SHAFT L=29.5"	(MP1317ATP+MP1326A+MC1026+MP16045S) + (MP16045S+MC1026+MP1318L)	<b>MISA1340</b>	17225
13	RSB Ty., <b>RSB 490 cross- 48x135, PLATE 6", 4 HOLE, X=Serrated - TL=23.5"</b>	30 Spl., Fork L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 48x135, Shaft L=23.5" (Small Ears)	(MP1320ATP+MP1327A+MC1031+MP1322S) + (MP1322S+MC1031+MP1321)	<b>MISA1350</b>	17975
14	RSB Ty., <b>RSB 490 cross- 48x135, 6" PLATE, 4 HOLE, LONG, X=Serrated - TL=26"</b>	30 Spl., Fork L=14.5", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 48x135, Shaft L=26" (Long Ears)	(MP1320TP+MP1327+MC1031+MP1322S) + (MP1322S+MC1031+MP1621)	<b>MISA1355</b>	19640
15	RSB Ty., <b>RSB 490 cross- 48x135, PLATE 6", 4 HOLE, X=Serrated - TL=22.25"</b>	30 Spl., Fork L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 48x135, Shaft L=22.25" (Small Ears)	(MP1320ATP+MP1327A+MC1031+MP1322S) + (MP1322S+MC1031+MP1621)	<b>MISA1350A</b>	16975
16	RSB Ty., <b>RSB 590 cross- 52x147, PLATE 6", 4 HOLE, X=Serrated - TL=23.5"</b>	36 Spl., Fork L=13", Pipe dia 4.5", Plate 6", 4 hole, X-Serrated, RSB 590 cross- 52x147, Shaft TL=23.5" (Small Ears)	(MRY2720ATP+MST2727A+MC1038+MCH2604ABS) + (MP2604ABS+MC1038+MP2708)	<b>MISA2745</b>	25825
17	RSB Ty., <b>RSB 590 cross- 52x147, PLATE 6", 4 HOLE, X=Serrated - TL=28.75"</b>	36 Spl., Fork L=13", Pipe dia 4.5", Plate 6", 4 hole, X-Serrated, RSB 590 cross- 52x147, Shaft TL=28.75" (LONG Ears)	(MRY2720TP+MST2727+MC1038+MCH2604ABS) + (MP2604AABS+MC1038+MP2708)	<b>MISA2746</b>	27665
18	RSB Ty., <b>RSB 590 cross- 52x147, PLATE 6", 4 HOLE, X=Serrated - TL=32"</b>	36 Spl., Fork L=13", Pipe dia 4.5", Plate 6", 4 hole, X-Serrated, RSB 590 cross- 52x147, Shaft TL=32" (LONG Ears)	(MRY2720TP+MST2727+MC1038+MCH2604ABS) + (MP2604AABS+MC1038+MP2708)	<b>MISA2748</b>	27865
19	<b>SPICER 2040 - MC1015UT - 47.64X135 - PLATE 6", 4 HOLE, X-SERRATED - TL=22.5"</b>	34 Spl., Fork L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, SPR 2040 cross- 47.64x135, Shaft L=22.5" (Small Ears)	(MP2620ATP+MP2627A+MC1015UT+MP2622S) + (MP2622SS+MC1015UT+MP2608)	<b>MISA2845</b>	17750
20	<b>SPICER 2040 - MC1015UT - 47.64X135 - PLATE 6", 4 HOLE, X-SERRATED - TL=24.5"</b>	34 Spl., Fork L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, SPR 2040 cross- 47.64x135, Shaft L=24.5" (Small Ears)	(MP2620ATP+MP2627A+MC1015UT+MP2622S) + (MP2622SS+MC1015UT+MP2608)	<b>MISA2846</b>	18750
S.NO	APPLICATION	SPECIFICATION	MATING PARTS	MOOVEL P.NO.	M.R.P. Rs.
<b>INTERAXLE SHAFT ASSEMBLY (MISA)</b>					

21	<b>SPICER 2040 - MC1015UT - 47.64X135 - PLATE 6", 4 HOLE, X-SERRATED - TL=28.25"</b>	34 Spl., Fork L=14.5", Pipe dia 4", Plate 6", 4 hole, X-Serrated, SPR 2040 cross- 47.64x135, Shaft L=28.25" (Long Ears)	(MP2620TP+MP2627+MC1015UT+MP2622SS) + (MP2622SS+MC1015UT+MP2608)	<b>MISA2847</b>	19510
22	<b>SPICER 2040 - MC1015UT - 47.64X135 - PLATE 7", 4 HOLE, X-SERRATED - TL=24.5"</b>	34 Spl., Fork L=13", Pipe dia 4", Plate 7", 4 hole, X-Serrated, SPR 2040 cross- 47.64x135, Shaft L=24.5" (Long Ears)	(MP2620ATP+MP2627A+MC1015UT+MP2504UT) + (MP2504UT+MC1015UT+MP2608)	<b>MISA2848</b>	19090
23	<b>SPICER 2040 - MC1015UT - 47.64X135 - PLATE 7", 4 HOLE, X-SERRATED - TL=28"</b>	34 Spl., Fork L=14.5", Pipe dia 4", Plate 7", 4 hole, X-Serrated, SPR 2040 cross- 47.64x135, Shaft L=28" (Long Ears)	(MP2620TP+MP2627+MC1015UT+MP2504UT) + (MP2504UT+MC1015UT+MP2608)	<b>MISA2849</b>	19850

## 26. CROSS HOLDER ASSEMBLY (FOR AGRI, INDUSTRIAL & MARINE APPLICATIONS) - (MCHA)

S.NO	APPLICATION	SPECIFICATION	MATING PARTS	MOOVEL P.NO.	M.R.P. Rs.
1	1210 TYPE	PLATE DIA 4.5"/ 120mm, 6 HOLE, 1210 CROSS-38X56.8	MP104+MP1022+MP104	<b>MCHA120T</b>	2160
2	370 TYPE	PLATE DIA 6"/ 150mm, 4 HOLE, 370 CROSS-39.67X116	MP604+MC1020+MP604	<b>MCHA616T</b>	3000
3	SPICER TYPE	PLATE DIA 7"/ 175mm, 8 HOLE, SPICER SPL90X CROSS- 41.27X126	MP1204+MC1013+MP1204	<b>MCHA1255T</b>	4175
4	TAURUS TYPE	PLATE DIA 7"/ 175mm, 8 HOLE, TAURUS CROSS-47.62X135	MP804+MC1015+MP804	<b>MCHA818T</b>	4765
5	JEEP TYPE	PLATE 4"/ 98MM, 4 HOLE, JEEP DIESEL CROSS - 27X82, ROUND PLATE	MCH905+MC1018+MCH905	<b>MCHA912T</b>	1495
6	AMB. TYPE	PLATE 3.42"/ 87MM, 4 HOLE, AMB. CROSS - 23.82X61.3	MCH1804+MC1019+MCH1804		1115

## 27. INTER-AXLE (DOUBLE DIFF.) THROUGH SHAFT - MERRITOR & SPICER TYPE - (MTS)

S.NO	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	M.R.P. Rs.
1	LEYLAND	34 SPL. X 32 SPL.	MERRITOR TY.	<b>MTS2601T</b>	1680
2	TATA & LEYLAND	26 SPL. X 35 SPL.	SPICER TY.	<b>MTS2602T</b>	3935
3	TATA & LEYLAND	39 SPL. X 20 SPL.	SPICER TY.	<b>MTS2603T</b>	2200
3	TATA & LEYLAND	39 SPL. X 20 SPL.	SPICER TY.	<b>MTS2603T</b>	2200
4	TATA & LEYLAND	39 SPL. X 34 SPL.	SPICER TY.	<b>MTS2604T</b>	2200

## 28. RIG GEAR COUPLING FLANGES (MGC - RIG TY.)

S.NO	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	M.R.P. Rs.
			Inch	mm							
1	RIG TY. - 10S	10	7	175	8	9.5	15 NO.	ROUND	SMALL BORE - N/M	<b>MGC813R</b>	1680
2	RIG TYPE - 16S	16	7	175	8	9.5	15 NO.	ROUND	SMALL BORE - N/M	<b>MGC802AR</b>	1680
3	RIG SPL. 7", 8H	16	7	178	8	10.2	17 NO.	ROUND	BIG BORE - N/M	<b>MGC820R</b>	2420
4	RIG SPL. 6", 4H	16	6	150	4	15	22 NO.	SERRATED	BIG BORE - N/M	<b>MGC820SR</b>	2200
5	RIG SPL. 7", 4H	16	7	178	4	15	22 NO.	SERRATED	BIG BORE - N/M	<b>MGC820SSR</b>	2725

## 29. COUPLING FLANGE W/ CUP CONE ASSEMBLY (MCCCA)

S.NO	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	M.R.P. Rs.
1	TATA & LEYLAND - O/M	OLD MODEL	O/M	MCCCA3201	2310
2	TATA & LEYLAND - N/M	NEW MODEL	N/M	MCCCA3202	2640

### 30. DOUBLE DIFFERENTIAL NEST CAGE ASSEMBLY (MNA)

S.NO	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	M.R.P. Rs.
1	NEST ASSY. - TATA 2516 - O/M	41 SPLINE	O/M	MNA3101	7260
2	NEST ASSY. - TATA 2518 - N/M	22 SPLINE	N/M	MNA3102	8250
3	NEST ASSY. - TATA 3118	37 SPLINE	3118	MNA3103	8690

### 31. U J CROSS - GREASELESS TYPE (MC - GL)

S.NO	APPLICATION	CROSS SIZE		LOCK TYPE	MOOVEL P.NO.	M.R.P. Rs.
		CUP OD mm	LOCK SIZE mm			
1	TATA 1210/ SE - <b>GREASELESS</b>	38	56.9	INNER LOCK	MC1022GL	790
2	TATA 1312/ 1612/ 2515 - <b>GREASELESS</b>	46	68.9	INNER LOCK	MC1023GL	1210
3	TATA 2516/ 3516/ HYVA & L/L 2214/ 3516/ TCAC SUPER TUSKER - SPICER SPL90X - <b>GREASELESS</b>	41.27	126	OUTTER LOCK	MC1013GL	1210
4	L/L TUSKER (MSL TYPE) - <b>GREASELESS</b>	34.92	126.2	OUTTER LOCK	MC1021GL	970
5	TATA 1616/ 2518 - RSB 390 SERIES - <b>GREASELESS</b>	42	119.8	OUTTER LOCK	MC1030GL	1265
6	TATA 2516 - RSB 403 SERIES - <b>GREASELESS</b>	42	129.4	OUTTER LOCK	MC1026GL	1340
7	TATA 4018 (LOCK TYPE) - RSB 425 SERIES - <b>GREASELESS</b>	48	135	OUTTER LOCK	MC1031GL	1845